





Corracreigh-Peake Mantua Amalgamation Site Investigation						Trial Pit No TP004		
Project Name: <i>Corracreigh-Peake Mantua Amalgamation</i>			Project No. <i>CORRPEAK-001</i>		Co-ords: <i>578305.500, 786519.000</i> Level:		Date <i>15/11/2023</i>	
Location: <i>Co. Roscommon</i> Client: <i>Roscommon County Council</i>					Dimensions: Depth 1.2m 1.0m		Scale <i>N/A</i>	
							Logged By <i>FQ</i>	
Samples & In Situ Testing				Level (m AOD)	Depth (m)	Stratum Description	Legend	
Water	Depth (m)	Type	Results					
					0.150	Topsoil:		
					0.800	Soft, brown, slightly sandy slightly gravelly SILT. Sand is fine to coarse. Gravel is fine to medium, subangular.		
					1.200	Soft to firm, grey/brown, slightly gravelly sandy SILT with some rootlets. Sand is fine to coarse. Gravel is fine to coarse, subangular to subrounded.		
						Trial pit completed at 1.2 m		
Water	Depth(m)	Type	Results	Level	Depth			
Stability: Good Plant: Tracked Excavator Backfill: Arisings						Groundwater : None encountered		
Remarks:								



Trial Pit Location Map

Trial Pit Photographic Record

			
Number: TP 004		Project Corracreigh-Peake Mantua Amalgamation Project No CORRPEAK-001 Client RCC Engineer	



Number: TP 004

Project Corracreigh-Peake Mantua Amalgamation
Project No CORRPEAK-001
Client RCC
Engineer