



Corracreigh-Peake Mantua Amalgamation Site Investigation						Trial Pit No TP006		
Project Name: Corracreigh-Peake Mantua Amalgamation				Project No. CORRPEAK-001		Co-ords: 578332.011 , 787040.924 Level:		Date 15/11/2023
Location: Co. Roscommon Client: Roscommon County Council						Dimensions: Depth 1.2m 1.0m 		Scale N/A Logged By FQ
Samples & In Situ Testing				Level (m AOD)	Depth (m)	Stratum Description		Legend
Water	Depth (m)	Type	Results					
					0.150	Topsoil:		
					0.700	Soft/ firm, grey/brown, slightly gravelly CLAY. Gravel is fine to coarse, subangular.		
					1.200	Firm, grey, slightly sandy gravelly SILT with some cobbles. Sand is fine to coarse. Gravel is fine to coarse, subangular. Cobbles are subrounded, 60 to 120mm dia.		
						Trial pit completed at 1.2 m		
Water	Depth(m)	Type	Results	Level	Depth			
Stability: Good Plant: Tracked Excavator Backfill: Arisings						Groundwater : None encountered		
Remarks:								



Trial Pit Location Map

Trial Pit Photographic Record



Number: TP 006

Project Corracreigh-Peake Mantua Amalgamation
Project No CORRPEAK-001
Client RCC
Engineer



Number: TP 006

Project Corracreigh-Peake Mantua Amalgamation
Project No CORRPEAK-001
Client RCC
Engineer