

Corracreigh-Peake Mantua Amalgamation Site Investigation						Trial Pit No TP007			
Project Name: <i>Corracreigh-Peake Mantua Amalgamation</i>				Project No. <i>CORRPEAK-001</i>		Co-ords: 577112.920 , 786952.608 Level:		Date 15/11/2023	
Location: <i>Co. Roscommon</i> Client: <i>Roscommon County Council</i>						Dimensions: Depth 1.2m 1.0m 1.0m		Scale N/A	
								Logged By FQ	
Samples & In Situ Testing				Level (m AOD)	Depth (m)	Stratum Description	Legend		
Water	Depth (m)	Type	Results						
					0.150	Topsoil: Brown, slightly sandy slightly gravelly SILT. Sand fine to coarse. Gravel fine to coarse, subangular.			
					0.300	Soft/ firm, grey/brown, slightly gravelly CLAY. Gravel is fine to coarse, subangular.			
					1.200	Firm brown/ grey, slightly sandy gravelly SILT with some cobbles. Sand is fine to coarse. Gravel is fine to coarse, subangular. Cobbles are subrounded, 60 to 120mm dia.			
						Trial pit completed at 1.2 m			
Water	Depth(m)	Type	Results	Level	Depth				
Stability: Good Plant: Tracked Excavator Backfill: Arisings						Groundwater : None encountered			
Remarks:									



Trial Pit Location Map

Trial Pit Photographic Record



Number: TP 007

Project Corracreigh-Peake Mantua Amalgamation
Project No CORRPEAK-001
Client RCC
Engineer



Number: TP 007

Project Corracreigh-Peake Mantua Amalgamation
Project No CORRPEAK-001
Client RCC
Engineer