

COMPLIANCE TO SPECIFICATION

Van Derived 4WD Single Cab Drop Side

PLEASE NOTE: if you are offering different variant Vehicles, you must fill out a separate compliance form for each Vehicle offered.

Company tendering: _____ (insert name of company)

Description	Please complete in respect of your offer	Confirm your level of compliance with any additional remarks / notes necessary	For OPW use only
<p><u>1.General:</u> This is a fixed price contract for the supply of Van Derived Chassis Cab with payload greater than 1000kg (with float).</p> <p>Minor variances to the specifications may be taken into account and considered at competition assessment stage. This must be solely at the discretion of the OPW.</p> <p>Tenderers should <u>not</u> offer a vehicle / model that is likely to be withdrawn in the tendered format during the duration of the contract unless it is being replaced with a new or revised model, which offers an equivalent or superior specification ("Replacement model").</p> <p>The tenderer must guarantee the tendered price for the original <u>and any replacement model</u> for the duration of the contract <u>and for any contract extensions</u>.</p> <ul style="list-style-type: none"> • All vehicles supplied under this contract must be new and previously unused. • All vehicles should have less than 250km travelled before delivery. • All vehicles must be delivered with at least 10 litres of fuel. <p>Note: All equipment must be supplied with Manufacturer approval and compliance.</p>	<p>Confirm: Make: Model:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p>		

<p><u>2.Size:</u> All vehicles supplied under this contract must be capable of carrying 3 adults in safety and reasonable comfort.</p>	Confirm:		
<p><u>3.Engine:</u> 4 Stroke Diesel Engine, turbo charged and intercooled with a minimum power output of 170 HP /125Kw and a corresponding torque of 400Nm at rated speed is required.</p>	Confirm & State Specification:		
<p><u>4.Emissions Level:</u> The vehicle must be Type Approved to a minimum Euro 6e standard or better.</p>	Confirm:		
<p><u>5.Steering:</u> The driving position must be on the right hand side of the vehicle.</p>	Confirm:		
<p><u>6.Transmission:</u> The vehicles must be fitted with an automatic gearbox with a minimum of 7 forward speeds and one reverse gear.</p> <p>The transmission must have either selectable or permanent 4-wheel drive.</p> <p>The vehicle must be fitted with a selectable, electronically controlled, mechanically actuated rear axle differential lock.</p>	<p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p>		
<p><u>7.Chassis:</u> Suspensions and shock absorbers to be of high quality and durability / heavy duty so as to provide good stability and road holding characteristics under varying requirements and conditions on a wide range of normal roads, and a small percentage of light off-road use (e.g. site forecourts, depot yards and gravel roads).</p>	Confirm:		

<p>8.Tyres: The vehicles must have Mud and Snow rated tyres. 235/65 R16 or similar.</p>	<p>Confirm:</p>											
<p>10.GVM:</p> <ul style="list-style-type: none"> • The GVM must be in the range 3,400- 3,500kg. • Towing capacity ≥3,000kg. 	<p>Confirm:</p>											
<p>11. Float/Conversion: The conversion must be of a “drop side” design. The design must be lightweight and robust, using a combination of steel and aluminium.</p> <p>High visibility, flexible, single strap edge protection system on both sides.</p> <p>All vehicles supplied under this contract shall have a minimum of six (6) flush-mounted tie-down anchorage points and six (6) underside tie-down anchorage points on each side.</p> <p>The headboard shall be of heavy-duty design and must protect the whole back section of the cab while maintaining a rear view. The headboard shall include a number of tie-down anchorage points. The headboard shall also include end stop on each side.</p> <p>The payload area of all vehicles to be supplied under this contract will be required to conform to the internal dimensions set out in the following matrix:</p> <table data-bbox="91 975 875 1082"> <tr> <td>Length</td> <td>3400mm</td> <td>3800mm</td> </tr> <tr> <td>Width</td> <td>2100mm</td> <td>2300mm</td> </tr> <tr> <td>Height</td> <td>400mm</td> <td>600mm</td> </tr> </table> <p>A tolerance/variance of +or-2% to the above may be considered. This will be solely at the discretion of the OPW.</p>	Length	3400mm	3800mm	Width	2100mm	2300mm	Height	400mm	600mm	<p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p>		
Length	3400mm	3800mm										
Width	2100mm	2300mm										
Height	400mm	600mm										
<p>14.Ground Clearance: The vehicle must have a minimum ground clearance of 195mm.</p> <p>The vehicle must come equipped with a protective engine under shield.</p>	<p>Confirm:</p> <p>Confirm:</p>											

<p><u>15.Safety:</u></p> <p>Passive:</p> <p>The vehicle must come equipped with High visibility, Front 3 point type safety belts and a Supplementary Restraint System, to include the following:</p> <ul style="list-style-type: none"> • Driver and Front Passenger Front Air bags. • Side / lateral air bags. <p>Active:</p> <ul style="list-style-type: none"> • The vehicle must come equipped with ABS and ESC/ESP Electronic Stability Control / Programme or equivalent. • The vehicle must come equipped with a front collision assistance system incorporating adaptive cruise control and Lane Departure Warning System (LDWS) with Lane Assist. • The vehicle must come equipped with Blind Spot Monitoring and Rear Cross Traffic Alert. • The vehicle must be fitted with a Tyre Pressure Monitoring System (TPMS). • Front and rear parking sensors and rear view camera. • Hill start assist. • Crosswind Assist. • Driver Alert System. 	<p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p>		
<p><u>16.Electrics:</u></p> <p>The Speedometer / Odometer must be metric (kilometre) only or metric dominant.</p> <p>All vehicles will be fitted with a reverse warning device of horn, bleeper or white-noise design and a factory fitted reverse camera.</p> <p>A second auxiliary battery with split charge relay must be fitted in order to allow for charging of work tools.</p>	<p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p>		
<p><u>17.Daytime Running Lights:</u></p> <p>The vehicle must come equipped with Daytime Running Lights, which comply with the requirements of EU Commission Directive 2008/89/EC.</p>	<p>Confirm:</p>		

<p><u>18. Interior Fittings:</u> The vehicle must come equipped with:</p> <ul style="list-style-type: none"> • Remote central door locking. • Electric powered windows for the driver and front seat passenger. • Air-conditioning. • Heated, height adjustable driver’s seats with lumbar support and armrests. • Electric adjustable and heated door mirrors. • An infotainment system including FM/DAB radio, Bluetooth Phone connectivity and Android Auto & Apple Carplay with screen size ≥ 8” • 2x 12volt in-cab power outlets. • Heavy-duty factory fitted rubber mats • Factory fitted heavy-duty waterproof seat covers. • Overhead cab storage compartment. 	<p>Confirm: Confirm: Confirm: Confirm: Confirm: Confirm: Confirm: Confirm:</p>		
<p><u>19. Auxiliary Equipment:</u> The following options will be required:</p> <ul style="list-style-type: none"> • OPW Paint, Pantone 315C. • Flange type ball and pin hitch with multiple height towing positions (c/w 13 & 7 pin electrical sockets). • Front and rear mud-flaps. • 750mm wide low profile roof mounted LED type warning beacon fitted to cab. • 2x grille mounted LED-flashing strobes on same switch as above. • Rear facing, bulk head mounted, twin LED type lights • Tailgate mounted high visibility chevrons. • Genuine manufacturers wind deflectors for driver and passenger windows. • Front storage console fitted between driver and passenger seat to fit A4 folders/manuals etc. • Front fog lights. • Full wheel trims. • An approved fire extinguisher and first aid kit must be fitted in a suitable interior location within proximity of the Driver’s Station. 	<p>Confirm: Confirm: Confirm: Confirm: Confirm: Confirm: Confirm: Confirm: Confirm: Confirm: Confirm:</p>		

<p>25.Delivery: Delivery to a nominated OPW depot will be as per instructions at the time of order.</p> <p>Delivery no later than 4th December 2026 for any order placed in 2026.</p> <p>Tenderers must state the best available lead delivery time on the pricing schedule.</p>	<p>Confirm agreement:</p> <p>Confirm delivery by 4 December 2026:</p> <p>Confirm:</p>		
<p>26.Supplier After Sales Service: All vehicles supplied under this contract must be reliable in use and have reasonable servicing, maintenance and inspection requirements for their period in the client fleet.</p> <p>Where an individual vehicle requires additional time out of service due to a high incidence of mechanical or body defects, this will be brought to the attention of the Contractor who will arrange an appropriate detailed inspection and full rectification of all faults with the vehicle.</p> <p>In the event of persistent failures within the first 24 months from delivery of that vehicle, the client reserves the right to reject it and receive in its place a suitable replacement vehicle of similar type and specification, and of similar age and distance travelled.</p> <p>The contractor will be responsible to the client for ensuring that all appointed dealers work to the highest standards of technical expertise for all maintenance and repair work carried out to vehicles delivered under this contract.</p>	<p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p>		

<p>All work undertaken at an appointed dealer will be charged on the basis of the stated time established in the workshop manual for the work done, or such lesser time as may be possible.</p> <p>The client will not pay for time over the stated time established in the workshop manual.</p> <p>Similarly, the contractor will be responsible for the suitability, availability, quality and warranty of all service items and replacement parts fitted to the vehicle by an appointed dealer</p> <p>The client reserves the right to use workshops or garages other than those approved by the contractor. Any such use will not reduce or amend the remaining warranty provisions.</p>	<p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p>		
<p>27.Training</p> <p>Comprehensive operator familiarisation training must be provided at a designated OPW depot or supplier premises by a competent driver trainer.</p> <p>The training should cover operational aspects of the vehicle, focusing especially on active and passive safety related systems and fuel-efficient driving.</p> <p>The contractor must also provide a manufacturer approved familiarisation-training video in .mp4 format.</p> <p>There will be approximately 8 OPW staff attending the training Programme.</p> <p>This training will be provided by the supplier at no extra cost to the OPW</p>	<p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p> <p>Confirm:</p>		