



AN ROINN TALMHAÍOCHTA, BIA AGUS MARA DEPARTMENT OF AGRICULTURE, FOOD AND THE MARINE

ACCEPTED FENCING POST SUPPLIERS

This list details all the companies that are accepted as producing fencing posts for grant-aided schemes. All posts will still be subject to a final inspection before grant-aid is paid.

If a non-timber fencing post manufacturing company which is not on this list wishes to be included, they should email tams@agriculture.gov.ie.

If a timber fencing post manufacturing company which is not on this list wishes to be included they should contact **NSAI Certification**, 1 Swift Square, Northwood, Santry, Dublin 9 to become certified to IS436. When the company achieves certification from the NSAI, they should then email tams@agriculture.gov.ie with a copy of their certificate to be added to this list. Any company losing NSAI certification will be removed from this list.

ACCEPTED MANUFACTURES OF TIMBER FENCING POSTS:-

It is important that an applicant confirms that any timber post manufacturer included on this list retains up to date certification to IS 436. This can be checked by viewing the NSAI website, www.nsai.ie, and doing a “certified company search” for the company in question.

Company Name	Address	Certifying Body
Adhmaid Cill Na Martra Teoranta	Kilnamartyra Village, Macroom, Co. Cork	NSAI
Balcas Ltd	Laragh, Ballinamallard, Enniskillen, Co. Fermanagh BT94 2FQ	CATG
Clifford Jones Timber Limited	Brickfield Lane, Ruthin, Denbighshire, North Wales, United Kingdom LL15 2TN	NSAI
Doherty Sawmills T.T. Teo.	Ballinamore, Cloghan, Co. Donegal	NSAI
Loughwood Ltd	1 Hill Road, Loughbrickland, Banbridge, Co. Down	RISE, Research Institutes of Sweden AB. and Wood Technology Institute, Poznan



Company Name	Address	Certifying Body
McNamara Fencing	Wallstown Castletownroche County Cork Ireland	CATG
John McHale Ltd	Hazelwood, Sligo.	NSAI
McHugh Timber Products	Drumkillrooske, Derrylane, Killeshandra, Co. Cavan	NSAI
P & A McConn Timber Sales Ltd (formerly Padraig McConn)	The Paddocks, Galway Road, Ballgar, Co. Galway	Wood Technology Institute, Poznan
PDM Ltd	Kill, Co. Kildare	NSAI
Scanpole Limited	Alexandra Dock Newport South Wales NP20 2WA United Kingdom	NSAI
Sia Silpec	Zilānu iela 68A, Jēkabpils, LV-5202, Latvia	CATG
Tommy Williamson Landscaping Supplies Ltd	Templescoby, Enniscorthy, Co. Wexford	Wood Technology Institute, Poznan
Unisole UAB	Kviečių g. 2a - 3, Vilnius Lithuania	Wood Technology Institute, Poznan
Woodfab Timber Ltd	Aughrim, Co. Wicklow	NSAI
Woodfarm Fencing Supplies	Ahascragh, Ballinasloe, Co. Galway	NSAI



ACCEPTED MANUFACTURERS OF CONCRETE FENCING POSTS:-

Company Name	Post length and type	Post top measurement
Delaney Concrete Ltd., Clonroche, Enniscorthy, Co. Wexford	Gate Post 2.280m	Gate Post: 0.230m x 0.200m
Jarlath Smith & Sons Ltd., Cloonascragh, Lavally, Tuam, Co. Galway	Intermediates: 1.980m Strainers: 1.980m Struts for strainers 2.000m Gate Post: 2.330m	Intermediates: 0.100m x 0.095m Strainers: 0.135m x 0.140m Struts for strainers 0.100m x 0.090m Gate Post: 0.175m x 0.170m
Joe O'Brien (Balla) Ltd., Brownhall, Balla, Co. Mayo	Intermediates: 1.981m Strainers: 1.981m Struts for strainers 1.830m Gate Post: 2.134m	Intermediates: 0.083m x 0.083m Strainers: 0.127m x 0.127m Struts for strainers 0.090m x 0.090m Gate Post: 0.153m x 0.153m
John O'Grady Fencing Contractor Cloonmore, Tuam, Co. Galway	Intermediates: 1.529m 1.679m 1.829m Strainers: 2.133m Struts for strainers 2.000m Gate Post: 2.133m	Intermediates: 0.100m x 0.075m 0.100m x 0.075m 0.100m x 0.075m Strainers: 0.195m x 0.125m Struts for strainers 0.100m x 0.090m Gate Post: 0.195m x 0.152m
Kelly's Precast Concrete Ltd., Ardkeenán, Drum, Athlone, Co. Roscommon.	Intermediates: 1.980m Strainers: 1.950m Struts for strainers 1.970m Gate Post 2.115m	Intermediates: 0.090m x 0.075m Strainers: 0.135m x 0.100m Struts for strainers 0.100m x 0.090m Gate Post 0.175m x 0.150m



Company Name	Post length and type	Post top measurement
Killeshal Precast Concrete Ltd., Daingean, Co. Offaly.	Intermediates: 1.950m 2.410m Strainers: 1.975m 2.286m 2.745m Struts for strainers 1.960m 3.000m Gate Post: 2.320m	Intermediates: 0.095m x 0.105m 0.085m x 0.075m Strainers: 0.110m x 0.100m (bottom 0.135m x 0.125m) 0.105m x 0.100m (bottom 0.135m x 0.125m) 0.100m x 0.100m Struts for strainers 0.100m x 0.750m 0.100m x 0.100m Gate Post: 0.170m x 0.150m
McCall Concrete Products Ltd., Bough Cross, Rathvilly, Co. Carlow	Intermediates: 1.880m 1.880m Strainers: 1.880m (Suitable for use on banks only) Struts for strainers 1.800m	Intermediates: 0.080m x 0.080m 0.100m x 0.100m Strainers: 0.120m x 0.130m Struts for strainers 0.100m x 0.100m
Richard McWalter Precast Concrete Products, Claddagh, Lavally, Tuam, Co. Galway	Intermediates: 2.050m Strainers: 2.120m 2.120 Struts for strainers 1.760m Gate Post: 2.49m	Intermediates: 0.100m x 0.090m Strainers: 0.200m x 0.180m 0.175m x 0.150m Struts for strainers 0.125m x 0.100m Gate Post: 0.230m x 0.220m
Moore Concrete Products Ltd., Caherty House, 41 Woodside Road Ballymena Co. Antrim BT42 4QH Northern Ireland	Intermediates: 1.830m Strainers: 2.135m 2.590m 3.050m Struts for strainers 1.830m	Intermediates: 0.100m x 0.075m Strainers: 0.200m x 0.200m 0.200m x 0.200m 0.200m x 0.200m Struts for strainers 0.75m x 0.100m
Moylough Concrete Products Ltd., Cloonascragh, Athenry Rd., Tuam, Co. Galway	Intermediates: 1.980m 1.665m Strainers: 1.980m Struts for strainers 2.010m Gate Post: 2.100m	Intermediates: 0.110m x 0.075m 0.110m x 0.075m Strainers: 0.165m x 0.140m Struts for strainers 0.110m x 0.085m Gate Post: 0.180m x 0.150m



Company Name	Post length and type	Post top measurement
Mullacrew Concrete Ltd., Mullacrew, Dundalk, Co. Louth	Intermediates: 1.93m 2.590m Strainers: 1.93m 2.590m Gate Post: 2.34m	Intermediates: 0.76m x 0.76m 0.0889m x 0.0762m Strainers: 0.076m x 0.076m 0.0889m x 0.0762m Gate Post: 0.203m x 0.203m
Neale Precast Products, Ballyrourke, The Neale, Co. Mayo	Intermediates: 1.98m 1.72m Strainers: 2.013m Struts for strainers 2.000m Gate Post: 2.10m 2.20m	Intermediates: 0.080m x 0.085m 0.080m x 0.090m Strainers: 0.100m x 0.100m Struts for strainers 0.080m x 0.100m Gate Post: 0.140m x 0.140m 0.190m x 0.185m
O'Hora Pre-Cast Concrete, Rathnaconeen, Ballina, Co. Mayo	Intermediates: 1.680m 1.980m 2.440m Strainers: 2.000m 2.440m Struts for strainers 1.980m 2.440m Gate Post: 2.200m	Intermediates: 0.115m x 0.080m 0.115m x 0.080m 0.125m x 0.080m Strainers: 0.150m x 0.100m 0.150m x 0.140m Struts for strainers 0.100m x 0.800m 0.110m x 0.070m Gate Post: 0.150m x 0.160m
Vesey Concrete Products Graffymore, Newport Road, Castlebar, Co. Mayo	Intermediates: 1.700m 2.000m Strainers: 2.000m Strut for strainers: 1.960m Gate Post 2.140m	Intermediates: 0.120m x 0.125m 0.120m x 0.134m Strainers: 0.130m x 0.140m Strut for strainers: 0.090m x 0.090m Gate Post: 0.140m x 0.150m



ACCEPTED MANUFACTURERS OF ALTERNATIVE MATERIALS FENCING POSTS:-

Accepted Steel Posts:

Company Name	Acceptable under S148 clause C.2 and clause:
Clipex Ireland Ltd., Leitrim, Cree, Kilrush, Co. Clare. The product will also be sold through Co-Ops and hardware stores. Receipt must specify “Clipex” and post dimensions.	Clipex Sheep Fencing: Suitable for replacing all round timber posts. Clipex Eco post, 1.8m long, 44mm x 35mm wall thickness 2.5mm. Clipex Standard Post, 1.8m long, 44mm x 35mm wall thickness 3.0mm. Clipex Beefy Post, 2.0m long, 66mm x 59mm wall thickness 3.5mm. Clipex STAYFAST Strainers, installed with strut(s), pressure plate(s) and brace wire. Strainer 2.4m long, 75mm diameter, 3.25mm wall thickness, with cap. Strut 2.367m long, 50mm diameter, 3.0mm wall thickness. All Clipex posts are hot-dipped galvanised, high tensile steel. Fence heights and post spacing to be in full accordance with relevant clause of S.148 and manufacturer’s instructions.
Fence Foundary, Kilmessan, Co. Meath	Estate Railing in place of timber post and rail paddock fencing. All hot dip galvanised and powder coated. Posts spaced every 1.12m, all 1.8m long Starter / end posts 50mm x 50mm Intermediate posts 40mm x 10mm Joining posts 50mm x 10mm 5 rails to be used. Top rail 20mm diameter solid bar, 4.5m long Lower rails 25mm x 8mm flat bar, 4.6m long Top of posts to be 1.2m above ground level.



Company Name	Acceptable under S148 clause C.2 and clause:
Hampton Steel Limited, 34-42 sanders Road, Wellingborough, Northhamptonshire NN8 4NL, England Agents: Woodfarm Fencing Supplies Ahascragh, Ballinasloe, Co. Galway	Hampton Metal Strainer Assembly kits (both strut strainer system and box strainer system): Stainer Kits: 2.5m, 3.3m and 3.9m long by 76mm diameter x 3mm wall Staplelok Metal Intermediate Posts: Intermediate Posts: 1.8m, 2.2m and 2.9m long, box section of 25mm x 33mm x 1.5mm thick. All posts are hot-dipped galvanised Versalock Metal Intermediate Posts: Intermediate Posts: .8m, 2.2m, 2.5m and 2.9m long, V section of 43mm x 50mm x 1.5mm thick (also 2.5mm thick acceptable). Versalock posts coating of Zm310
The Fencing People, Oakfield Demesne, Raphoe, Co Donegal, F93 Y7HC	Round steel posts. Intermediate posts: Lengths: 1.8m, 2.1m, 3m and 3.6m All above 33mm diameter x 3mm wall Strainer Posts: Lengths: 2.1m, 2.4m, 2.7m, 3m, 3.6m and 4m All strainers: 114mm diameter x 3mm wall. All strainers to be fitted with strut and stay. All posts hot dip galvanised.

Accepted Plastic posts

Company Name	Acceptable under S148 clause C.2 and clause:
Fogarty PVC Fencing 172 Alymer Park, Naas, Co. Kildare	F2.6 – post and rail fencing
Irish Recycled Products, Unit 1 Syngefield Industrial Estate, Birr, Co.Offaly	100mm x 1500 mm Round Grey 100mm x 1750 mm Round Grey 100mm x 2000 mm Round Grey 150mm x 2250 mm Round Grey



Company Name	Acceptable under S148 clause C.2 and clause:
Murray's recycled plastic Ltd, Claggan, Glenisland, Castlebar, Co. Mayo	F2.6 – post and rail fencing. Also 100mm diameter round posts acceptable as intermediate posts under clauses F3, F4 and F5.
Next Generation Plastics Ltd Kilberry Farms Kilberry Navan Co. Meath	Solid round polymer plastic posts: 85mm x 1800mm for use as intermediate posts in place of 100mm timber posts. 85mm x 1500mm for use as intermediate posts in place of 100mm timber posts.