



1. All dimensions are in millimetres – figured dimensions to be taken in preference to scaled dimensions.
2. All levels are in metres and relate to Ordnance Datum (Malin Head)
3. Refer to drawing 126001-413 for steelwork notes.

1. Concrete construction shall be in accordance with I.S. EN 1992: Eurocode 2 parts 1 & 2 and EN 206-1.
2. External arises to be chamfered 25x25mm U.N.O.
3. Concrete grades to be as follows.

4. All buried surfaced to receive two coats of MC Dur 1680 waterproofing or equal approved system.

© Tailte Éireann - Surveying, 2026
MRG Consulting Engineers Ltd. are authorised by the CEO,
Tailte Éireann (acting on behalf of the Government of Ireland),
to reproduce Tailte Éireann - Surveying maps and data.
Tailte Éireann Copyright Licence No. CYAL50532682

T1	22.06.26	ISSUED FOR TENDER	DM	CS	CS
Issue	Date	Revisions	Drawn	Checked	Approved



Comhairle Contae Chiarraí
Kerry County Council



No.4 Day Place , Tralee, County Kerry
T : (066)7123130 Fax : (066)7123364 E-Mail : info@mrg.ie
Elysium Business Centre, Second Floor, Breffni House,
Watercourse Road, Blackpool, Cork.

MRG Consulting Engineers Limited Civil Structural Architectural Environmental

Project

BALLYSEEDY WOOD AMENITY TRAIL
PHASE: 3

Drawing

BRIDGE STRUCTURE NO.3
BRIDGE ABUTMENT DETAILS

Drawn	D.Moriarty	Project No. 126001	Drawing No. 126001-415
Date	22.06.2026		
Scale	As Shown @ A1		