

NOTE :
 1: ALL WORKS TO BE CARRIED OUT IN STRICT ACCORDANCE WITH CURRENT BUILDING REGULATIONS, LATEST EDITION AND IN ACCORDANCE WITH SPECIFICATION.

2: CONTRACTOR SHALL NOTIFY THE ARCHITECT OF ANY DISCREPANCIES ON THIS DRAWING BEFORE CARRING OUT ANY WORKS.

3: ALL DIMENSIONS ARE TO FACE OF BLOCKWORK UNLESS NOTED OTHERWISE.


4. AIRTIGHTNESS SEALING BY SPECIALIST CONTRACTOR. BUILDING CONTRACTOR TO LIAISE WITH SAME PRIOR TO CONSTRUCTION.

5. MAXIMUM AIR PERMEABILITY RATE OF BETWEEN 3 & 5 M³/(H M²) AT A TEST PRESSURE OF 50 PASCALS

6) TOUGHENED GLASS TO BE USED IN ALL GLAZING BELOW 800MM FROM FLOOR LEVEL

7) FIRE DOOR IRONMONGERY, HINGES (3 NO.) AND SELF CLOSING DEVICE TO CE MARK, EN 1935 AND EN 1154

O'LOUGHLIN ARCHITECTS LTD.



REVISION

No.	REVISION/ISSUE	DATE

TENDER ISSUE

ARCHITECT
 O'LOUGHLIN ARCHITECTS LTD.
 REDHILLS HSE,
 KILDARE,
 CO. KILDARE
 PH. 045 520556
 MOB. 087 9858836.
 OLOUGHLINARCHITECTS@GMAIL.COM
 ORDINANCE SURVEY. IRELAND
 LICENCE No. AR0008918
 CLIENT
 ACDAL INTENDS TO CONSTRUCT
 A DEVELOPMENT AT BRIGHT
 SPARKS COMMUNITY CHILDCARE
 CENTRE COMPRISING OF A SINGLE
 STOREY REAR EXTENSION OF
 2 NO. CLASSROOMS , ANCILLARY
 ACCOMMODATION, ASSOCIATED
 ALTERATIONS TO ALL ELEVATIONS
 AND ALL ASSOCIATED SITE WORKS.


INTERNAL DOOR SCHEDULE

DATE
 JULY 2026



SCALE
 1:25

DRAWING NO.
 TN. 2783-07

DRAWN BY
 T. O'LOUGHLIN





INTERNAL DOOR TYPE C (2 No.)
 (DENATA NM 42G CLEAR TOUGHENED GLASS)





INTERNAL DOUBLE DOOR TYPE D (1 No.)

(DENATA FRFLG E130) FIRE DOOR
 FIRE DOOR 30S WITH GLAZING
 HELD OPEN BY ELECTROMAGNETIC DEVICES
 CONNECTED TO THE FIRE ALARM




INTERNAL DOOR TYPE A (1 No.)
 (DENATA NM 42G FROSTED TOUGHENED GLASS)



INTERNAL DOOR TYPE B (7 No.)

(DENATA NM42 SOLID)



DOOR HINGES TO BE GRADE 13 / 2 BALL BEARING HINGES PAIR E130 / 60 (3 PER DOOR)

DOOR CLOSER ON FIRE DOOR LHH611S SILVER DEANTA

ALL DOORS TO BE FITTED WITH KICK PLATES DEANTA LHH1001-824 824 x 150 x 1.2MM

PUSH PLATE LHH755 - 350 MM (PRINTED) TO FIRE DOOR FRFLG E130

DEANTA PUSH PLATE LHH785 - 500 MM ON ONE SIDE & DEANTA PULL HANDLE LHH217A ON THE OPPOSITE SIDE

DOOR SIGNAGE

SIGNAGE TO WC'S DEANTA LHH501

AUTOMATIC FIRE DOOR DEANTA LHH509

DOOR STOP

DOOR STOP TO EVERY DOOR WALL MOUNTED DEANTA LHH792