

NOTE: CONTRACTOR TO ALLOW FOR CHASING FLOOR FOR WASTE SERVICES WHERE REQUIRED AND FOR FIRE SEALING OPE AND FINISHING FLOOR TO MATCH EXISTING.

NEW 38mm VULCATHEME WASTE PIPEWORK FROM DILUTION POT TO CONNECT TO THE MAIN FLOAT PIPE. PIPEWORK INSTALLED AT 1/4 IN SERVICE VOID. ALLOW FOR ALL NECESSARY FALLS IN THE PIPEWORK



M (SCALE 1:50)

WASTE SERVICES LEGENDS AND SYMBOLS

- 16** CHEMICAL RESISTANT VULCANIZED WASTE PIPEWORK STRUCK EXTERNALLY. ALLOW FOR CONNECTING THE NEW WASTE PIPEWORK TO THE NEW WASTE PIPEWORK EXTERNALLY.

- DP** POT SHALL BE SUPPLIED BY OTHERS BUT SHALL BE FITTED AND INSTALLED BY THE MECHANICAL CONTRACTOR.

GENERAL NOTES:

- WASTE SERVICES NOTES:

WASTE SERVICES NOTES:

14. ALL SERVICES AS SHOWN ON THIS DRAWING SHALL BE INCLUDED IN THE FINAL TENDER PRICE

17. ALL CHEMICAL RESISTANT VULCATHENE PREWORK SHALL BE JOINED VIA MECHANICAL JOINTS WITH DEMOUNTABLE JOINTS.

REV	DATE	PREPARED BY/PROJECT ENGINEER	QUALITY CHECK BY:
-----	------	------------------------------	-------------------



Tel: 01-6274103
www.galileoenergy.ie

Copyright ©

TENDER

D08 H2H9.

Drawing Title

ROOM.

Architect

Millennial Folk,
Naas, Co. Kildare

52(M001)

26-028	J.M	1:50	on A1	T1
--------	-----	------	-------	----