


Proposed Roscrea Mechanical Reflective Ceiling Plan
Scale at 1:20

CEILING FINISH LEGEND

Type C1 — 600 x 600mm Grid Ceiling Tiles

Type C2 — 600 x 1200mm Grid Ceiling Tiles

Type C3 — Moisture Resistant Plasterboard

CEILING LIGHTING LEGEND

Type L1 — LED LIGHT FITTING

Type L2 — RECESSED LIGHT FITTING

*Note all STANDARD/AMBULANT/ENLARGED Rooms have the same C.H.2700mm

CEILING SERVICES LEGEND

Type CS1 — FAN

Type CS2 — EG — EXTRACTOR GRILLE

Type CS3 — PG — PASSIVE GRILLE/SUPPLY

Type CS4 — E — EMERGENCY LIGHTING (3HR DURATION NON-MAINTANED)

Type CS5 — PIR — PASSIVE INFRARED SENSOR

Type CS6 — S — FIRE ALARM SMOKE DETECTOR W/ SOUNDER

Type CS7 — S CV — FIRE ALARM SMOKE DETECTOR LOCATED IN CEILING VOID

Type CS8 — EXIT — EMERGENCY FIRE EXIT SIGN

Type CS9 — GRILLE, 200X200

Type CS10 — AIR DUCT FOR SUPPLY AIR

Type CS11 — AIR DUCT FOR EXTRACT AIR

*Note indicative air ducting routes, subject to contractor design

ELECTRICAL LEGEND

Type E1 — 13AMP SPW OUTLET WALL MOUNTED

Type E2 — R — CALL- RESET RUSH BUTTON WALL MOUNTED

Type E3 — ALARM PULL CORD

Type E4 — LIGHT SWITCH WALL MOUNTED

Type E5 — 2 — 13AMP, TWO GANG DOUBLE UNSWITCHED SOCKET

Type E6 — T — THERMOSTAT CONTROLS

***Note* Tie in with existing lighting, fire alarm and heating circuits as well as water pipework (Refer to Existing 25228-SP-XX-XX-DR-IA-281&291)**

Drawing Details

Drawing Title:

PROPOSED ROSCREA TOILET MECHANICAL REFLECTIVE CEILING PLAN

Ref: 25228-SP-XX-XX-DR-IA-261

Scale:

1:20@ A1

TIPPERARY FET COLLEGE ROSCREA,
OLD DUBLIN ROAD,
ROSCREA,
CO.TIPPERARY
E53 P797

Project Stage:
Stage 1

Client Details:
TIPPERARY ETB

All dimensions to be checked on site.

Do not scale dimensions from this drawing, use figured dimensions only.

Refer to Engineer's drawings and specification for all structural and services information.

Any discrepancies between the Architect's and Engineer's drawings to be reported to the Architect immediately.

The survey information shown on this drawing is based on a survey prepared by a third party and Spentide Ltd accept no responsibility for the accuracy or completeness of the survey

Document Record

| P/S | Purpose / Description/ | Date | Rev |
|---|---|---|---|
| 1 | Issued for Review | 08.04.26 | 00 |
| 3 | Issued for Tender | 26.06.26 | 01 |
| | | | |
| | | | |
| | | | |

Spentide
Architecture | Project Management

80 Main Street, Midleton, Co. Cork,
P25 ET04 Ireland.

Email: info@spentide.ie
Website: www.spentide.ie

Tel: + 353 21 4633815
+ 353 87 9903810

© Drawing and content are copyright