




GENERAL NOTES:

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL MECHANICAL, ELECTRICAL, ARCHITECTURAL AND STRUCTURAL DRAWINGS & SPECIFICATIONS.
2. THE MECHANICAL CONTRACTOR SHALL CO-ORDINATE FULLY WITH ALL OTHER TRADES BEFORE COMMENCING WORK. THE MECHANICAL CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ALL THE NECESSARY INFORMATION TO ALLOW THE MAIN CONTRACTOR CO-ORDINATE ALL SERVICES.
3. THE MECHANICAL CONTRACTOR SHALL ALLOW FOR CO-ORDINATING THE MECHANICAL INSTALLATION WITH THE ELECTRICAL CONTRACTOR AND THE PLUMBING CONTRACTOR.
4. THE MAIN CESS IS INDICATED DUE TO THE CO-ORDINATION DEFECTS, NO DETAIL COMPLETED WILL NOT BE ACCEPTED BY THE OWNER.
5. 0, 00 NOT SOLVE THIS DRAWING, ALL DIMENSIONS TO BE TAKEN ON SITE.
6. THE MECHANICAL CONTRACTOR SHALL ALLOW FOR THE SUPPLY AND INSTALLATION OF ALL MECHANICAL SERVICES INDICATED ON THIS DRAWING.
7. THE MECHANICAL CONTRACTOR SHALL BE RESPONSIBLE TO IDENTIFY SUITABLE PUMP ROOMS FOR PUMPWORK, MECHANICAL SERVICES, ETC., AS NOTED ON THE DRAWINGS.
8. ALL SERVICES THROUGH THE BARRIERS SHALL BE SILENCED BOTH SIDE OF THE BARRIERS. THE MAIN CONTRACTOR SHALL ALLOW FOR THE SERVICES THROUGH THE BARRIERS SHALL BE SILENCED BOTH SIDE OF THE BARRIERS. THE MAIN CONTRACTOR SHALL ALLOW FOR FREE FLOWING THE OTHERS AFTER SERVICES IS INSTALLED.
9. ALL LAYOUTS OF ALL ITEMS OF PLUMB/EQUIPMENT/PUMPWORK, ETC. SHALL BE AGREED ON SITE WITH THE EMPLOYERS REPRESENTATIVE AND THE CLIENT.
10. PUMP, LOCATION OF ALL ITEMS OF PLUMB/EQUIPMENT/PUMPWORK, ETC. SHALL BE AGREED ON SITE WITH THE EMPLOYERS REPRESENTATIVE AND THE CLIENT.
11. THE MECHANICAL CONTRACTOR SHALL ALLOW FOR DECOMMISSIONING AND REMOVING THE EXISTING WASTE SERVICES INSTALLATION AND PROVIDE PUMPWORK, WASTES, TRAPS, ETC. THROUGHOUT THE SERVICE ROOM AND THE FEED ROOM.
12. THE MECHANICAL CONTRACTOR SHALL ALLOW FOR ALL NECESSARY LABOUR, WELDING AND ATTENDANCES IN COMPLETING ALL THE MECHANICAL WORKS AS INDICATED ON THE DRAWINGS AND SPECIFICATIONS.

WASTE SERVICES NOTES:

12. ALL WORKS SHALL BE COVERED OUT BY THE MECHANICAL CONTRACTOR INDICATED ON THE DRAWING.
13. THE CONTRACTOR SHALL BE RESPONSIBLE TO DESIGN SUFFICIENT FINAL ROUTES FOR WASTE SERVICES PREWORK. ALL MAIN ROOMS OF PREWORK SHALL BE INSTALLED IN THE SERVICE VOID AT LOW LEVEL.
14. ALL SERVICES AS SHOWN ON THIS DRAWING SHALL BE INCULCATED IN THE FINAL TENDER PRICE.
15. ALL NEW WASTE PREWORK FOR THE SCIENCE ROOM AND THE PREP ROOM SHALL BE INSTALLED EXACTLY IN CHEMICAL RESISTANT VULCANITE PREWORK.
16. A 2.4MTR DILUTION POT SHALL BE PROVIDED BY OTHERS FOR EACH SINK, TUB, CUPBOARD, ETC. HOWEVER, THE CONTRACTOR SHALL BE RESPONSIBLE TO PROVIDE THE DRAINAGE FOR THE DILUTION POT IN ACCORDANCE WITH BS-5254/916. THE CONTRACTOR SHALL ALSO ALLOW FOR INSTALLING CHEMICAL RESISTANT TO THE VULCANITE PREWORK FROM THE SINK, TUB, CUPBOARD, ETC. TO THE BUILDING OUT FOR EACH ITEM AND THEN FOR INSTALLING CHEMICAL RESISTANT VULCANITE PREWORK FROM THE DILUTION POT TO THE NECESSARY FLOOR PRESS AND WASTE PIPES-UP.
17. ALL CHEMICAL RESISTANT VULCANITE PREWORK SHALL BE JOINED VIA MECHANICAL JOINTS WITH DEMOUNTABLE JOINTS.

[illegible]