




New galvanised steel bike shelter with polycarbonate roof. 4m Vivo Bike Shelter or Equal approved. Minimum 4 No. inverted U galvanised steel bike racks fixed to underlying concrete base

New concrete pad, gravel filled french drain and bike stand with cover to be installed in this area. See attached detail for groundworks.



Site Boundary

Scoil Ailbhe

New SVP connected to new sewer and extended up wall in this area. SVP to be positioned so as not to cross windows and must be appropriately fixed to structure and terminated above roof level.

150mm Diameter UPVC sewer at 1:100 fall from new toilet connection to existing foul water manhole at this location. Note: Shallow sewer to be encased in concrete throughout entire length. Existing footpath in this area to be repaired to an as new condition after sewer installation.

OS Licence No.: CYAL50512325

Drawing Ref. No.: 789524_LAY_001b	
Title: Tender	
Client: Scoil Ailbhe, Thurles, Co. Tipperary	Scale: 1:500 Date: 13-7-26 Rev: 25-7-26 Drawn: C.N. Checked: P.J.N.
Patrick J. Newell Consulting Engineers, Ballyclider, Portlaoise, Co. Laois. Oaklands, Headford, Co. Galway	
Ph: 093 35641 Fax: 093 35050 email: info@newelleng.ie web: www.newelleng.ie	

