

Kildangan– SEN Reconfiguration
Sanitary Ware Schedule
4 No. Ambulant Accessible Toilet

Product Code	Description - All Products below available through Sonas	Quantity
STWCS	Strata close coupled WC, cistern & fixings and soft close seat, Refer to Product Data Sheet in Appendix	4
PB021	Strata cloakroom basin, round fronted, 1 tap hole with overflow, Refer to Product Data Sheet in Appendix	4
OHXWFS03CP	1 1/4" slotted flush grated waste, no plug	4
TDBOD	1 1/4 White plastic bottle trap	4
INTC40015CP (400mm x 15mm/22mm)	Intamix Thermostatic Mixing Valve 15mm/22mm, With isolation valve, Refer to Product Data Sheet in Appendix	4
LO980CP	Sequential Lever Operated Basin Mixer Tap Refer to Product Data Sheet in Appendix	4
WD08100	WD 8 x 110 Sanitary Fixing for Strata Basins	4
210160/DB (Dark Blue)	600mm Grab rails with concealed fixings (Blue) Note: Product code varies based on the railing colour for TGD Part M Visual contrast with the wall surfaces. Refer to Product Data Sheet in Appendix	24
210145/DB (Dark Blue)	450mm Grab rails with concealed fixings (Blue) Note: Product code varies based on the railing colour for TGD Part M Visual contrast with the wall surfaces. Refer to Product Data Sheet in Appendix	4
DJ0111CS	Wall Mounted Liquid Soap Dispenser (Satin Finish) Refer to Product Data Sheet in Appendix	4
DT0106CS	Paper Towel Dispenser (Satin Finish) Refer to Product Data Sheet in Appendix	4
PRO787CS	Toilet Roll Holder (Satin Finish) Refer to Product Data Sheet in Appendix	4
	Additional W/C Accessories Required 4 No. Mirror 1000x400mm, polished edges 4 No. Disposal Bin	




Figure 1: No. Ambulant Accessible Toilet

Kildangan National School – SEN Reconfiguration
Sanitary Ware Schedule
1 No. Universal Access Toilets – SEN Class bases

Product Code	Description	Quantity
BDMBPLCC-WBL-CF (Blue rails)	Sonas or Equivalent Close coupled Doc M Pack Note: Product code varies based on the railing colour for TGD Part M Visual contrast with the wall surfaces. Refer to product data sheet for alternative options where required. Refer to Product Data Sheet in Appendix	3
DJ0111CS	1 No. Soap Dispenser (Satin Finish) Refer to Product Data Sheet in Appendix	3
DT0106CS	1 No. Paper Towel Dispenser (Satin Finish) Refer to Product Data Sheet in Appendix	3
PRO787CS	1 No. Toilet Roll Holder (Satin Finish) Refer to Product Data Sheet in Appendix	3
141701	Single Clothes Hook (Dark Blue)	3
	Additional W/C Accessories Required 3 No. Mirror 1000x400mm, polished edges 3 No. Disposal Bin	




Figure 2: Sample image of Staff W/C area

Kildangan National School – SEN Reconfiguration

Sanitary Ware Schedule

1 No. Toilet/ Shower for Assisted Users

Product Code	Description	Quantity
BDMBPLCC-WBL-CF (Blue Rails)	Sonas or Equivalent Close Coupled Doc M WC Note: Product code varies based on the railing colour for TGD Part M Visual contrast with the wall surfaces. Refer to product data sheet for alternative options where required. Refer to Product Data Sheet in Appendix	1
SB-085/DB	Padded Doc M Shower Seat (Dark Blue) Note: Product code varies based on the railing colour for TGD Part M Visual contrast with the wall surfaces. Refer to product data sheet for alternative options where required. Refer to Product Data Sheet in Appendix	1
ABW-CP	Height Adjustable Wall Mounted Wash Basin for Changing Place, with height adjusting Mirror and Soap Dispenser Refer to Product Data Sheet in Appendix	1
210145	450mm Grab rails with concealed fixings - 600mm (Dark Blue) Note: Product code varies based on the railing colour for TGD Part M Visual contrast with the wall surfaces. Refer to product data sheet for alternative options where required.	1
210160	600mm Grab rails with concealed fixings - 600mm (Dark Blue) Note: Product code varies based on the railing colour for TGD Part M Visual contrast with the wall surfaces. Refer to product data sheet for alternative options where required.	4
211865/DB	Stainless Steel Lift & Lock Hinged Support Rail 650mm Note: Product code varies based on the railing colour for TGD Part M Visual contrast with the wall surfaces. Refer to product data sheet for alternative options where required.	4
DT0106CS	1 No. Paper Towel Dispenser (Satin Finish) Refer to Product Data Sheet in Appendix	1
PRO787CS	1 No. Toilet Roll Holder (Satin Finish) Refer to Product Data Sheet in Appendix	1




Figure 4: Sample image of Toilet/ Shower for Assisted User

Appendix A

Accessible W/C Sanitary Facilities - Single Ambulant Accessible Toilet

SDG - 02 - 04 Section 6.6 Staff Toilets states "A minimum of one male and one female staff toilet should be provided. In addition, a Unisex Universal Access Toilet for Independent Use should also be provided, or alternatively, each of the male and female toilets can be increased in size within the overall floor area allocation to provide this fully assisted facility". The Example Layout below and associated includes 1 No. Ambulant Accessible Toilet. Please note: Door's closers implead movement and shall not be installed on Accessible toilet facilities where possible.




Figure 11: 1 No. Ambulant Accessible Toilet.

Universal Access Toilet

Layouts shall be read in conjunction with SDG-02-04 Section 6.3 Toilet & Shower area. Example layout shown is for right- hand transfer to WC. The overall dimensions should exclude such items as heat emitters and boxing in of services. Adjustments in room sized will be needed to accommodate these items. The Tap on the hand rinse basin shall be positioned on the side closest to the WC.

Please note: Door's closers implead movement and shall not be installed on Accessible toilet facilities where possible. All services shall be boxed with access for maintenance available where required.




Figure 12: Universal Access Toilet Plan




Figure 13: Universal Access Toilet Elevation

Toilet/Shower for Assisted Users

Layouts shall be read in conjunction with SDG-02-04 Section 6.3 Toilet & Shower area.

Each SEN Base should typically have a standard Toilet / Shower for Assisted User 10.5m² as per the layout below from SDG-02-04. This room shall be designed as a wet room using the finishes specified in SDG-02-04 section 6.3.4.

Please note: Door's closers implead movement and shall not be installed on Accessible toilet facilities where possible. All services shall be boxed with access for maintenance available where required.

Alternative Sanitary ware option provided below for re-configuration works where existing area / layout wont allow for full peninsular sanitary ware layouts.




Figure 14: Toilet/Shower for Assisted Users (Plan)




Figure 15: Toilet for Assisted Users with changing bench (Elevation 1).




Figure 16: Toilet for Assisted Users with changing bench (Elevation 2).

End of Document.