




LEGEND:

- = WALL BELOW
- = 215mm BLOCKWORK PARAPET WALL
- = 100mm BLOCKWORK PARAPET WALL
- = GREEN ROOF AREA ON 275mm RC SLAB
- = GRAVEL ROOF AREA ON 245mm RC SLAB
- = SOLAR PANEL AREA ON 275mm RC SLAB
- = TIMBER ROOF AT UPPER LEVEL C16 TIMBER JOIST 44x225 AT 300mm C/C WITH ROOF FINISHES, INSULATION & SLOPE TO ARCHITECT DETAILS
- = RC CANOPIES
- = STEEL CANOPY



- General Notes:**
1. THIS DRAWING IS THE PROPERTY OF D. FALLON CONSULTING ENGINEERS. IT IS A CONFIDENTIAL DOCUMENT AND MUST NOT BE COPIED, USED, OR ITS CONTENT DIVULGED WITHOUT PRIOR CONSENT.
 2. ALL WORKS TO COMPLY WITH THE BUILDING REGULATIONS AND THE BUILDING CONTROL ACT 2014, CURRENT IRISH STANDARDS AND CODES OF PRACTICE.
 3. DO NOT SCALE. ALL DIMENSIONS TO BE CHECKED ON SITE AND ANY DISCREPANCIES TO BE NOTIFIED TO ARCHITECT / ENGINEER.
 4. ALL CONTRACTORS, WHETHER MAIN OR SUB CONTRACTORS MUST VISIT THE SITE AND ARE RESPONSIBLE FOR TAKING AND CHECKING ANY AND ALL DIMENSIONS AND LEVELS THAT RELATE TO THE WORKS.
 5. WHERE THIS DRAWING CONTAINS DISCREPANCIES IN RELATION TO OTHER RELEVANT DOCUMENTS, SUCH DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECTS / ENGINEERS WHO SHALL ISSUE A WRITTEN INSTRUCTION AS TO WHICH INFORMATION IS TO BE FOLLOWED, AND UNTIL SUCH INSTRUCTIONS HAS BEEN ISSUED ANY WORK CARRIED OUT ON FOOT OF THE DISCREPANCIES SHALL BE UNAUTHORISED.
 6. PROPRIETARY ITEMS SHALL BE FIXED IN STRICT ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS.

B02	Tender	DBE	JG	20/08/2026
B01	Pre Tender	DBE	JG	25/11/2026
Rev:	Description:	By:	App:	Date:

Status: **TENDER**

D.Fallon
Consulting Engineers

Galway Office:
Office 25 Celtic Court, Tuam Road,
Galway G91 YW14
(091) 380 792
Dublin Office:
Lis Carr Business Centre,
51-52 Fitzwilliam Sq. West, Dublin 2
(01) 529 4100
Email: info@dfalloneng.com
Web: www.dfalloneng.com

Client: Queen of Angels Primary School

Project: Additional Accommodation
Queen of Angels Primary School
Sandyford, Dublin 16

Drawing: Proposed Roof Level GA Plan

Scale At A3: 1:200	Date: AUG 2026	Job No: D2104	Status Code: X
-----------------------	-------------------	------------------	-------------------

Drawing Number: D2104BU0012	Revision: B02
---------------------------------------	-------------------------