

SLIGO COUNTY COUNCIL

The Nest, Quay Street,
Sligo, F91 K79P

Sanitaryware Schedule

September / 2026

0690-MFA-SWS



Sligo County Council
Comhairle Chontae Shligigh

Sligo.



PEACEPLUS

Northern Ireland - Ireland

Co-funded by the



European Union



UK Government



Riailtas na Míreann
Government of Ireland



Northern Ireland
Executive

LCDC

Coiste Forbartha Pobail Áitiúil
Local Community
Development Committee


This project is supported by PEACEPLUS, a programme managed by the Special EU Programmes Body (SEUPB)

PROJECT	Demolition of 2no. existing storage buildings, Construction of transformative works at The Nest, Quay Street, Sligo, F91 K79P.	
CLIENT / JOB NO	Sligo County Council	0690
DOCUMENT TITLE	Sanitaryware Schedule	

Prepared by

Reviewed by

Approved by

Document <i>Rev 0</i>	Name Brian Murphy	Name Mark Forbes
Date Aug 2026	Signature 	Signature 

This document, and information or advice which it contains, is provided by MFA CONSULTING ENGINEERS LIMITED solely for internal use and reliance by its client in performance of MFA CONSULTING ENGINEERS LIMITED's duties and liabilities under its contract with the Client. Any advice, opinions, or recommendations within this document should be read and relied upon only in the context of the document as a whole. The advice and opinions in this document are based upon the information made available to MFA CONSULTING ENGINEERS LIMITED at the date of this document and on current standards, codes, technology and construction practices as at the date of this document. Following final delivery of this document to the Client, MFA CONSULTING ENGINEERS LIMITED will have no further obligations or duty to advise the Client on any matters, including development affecting the information or advice provided in this document. This document has been prepared by MFA CONSULTING ENGINEERS LIMITED in their professional capacity as Consulting Engineers. The contents of the document does not, in any way, purport to include any manner of legal advice or opinion. This document is prepared in accordance with the terms and conditions of MFA CONSULTING ENGINEERS LIMITED contract with the Client. Regard should be had to those terms and conditions when considering and/or placing any reliance on this document. Should the Client wish to release this document to a Third Party for that party's reliance, MFA CONSULTING ENGINEERS LIMITED may, at its discretion, agree to such release provided that:

- (a) MFA CONSULTING ENGINEERS LIMITED written agreement is obtained prior to such release, and
- (b) By release of the document to the Third Party, that Third Party does not acquire any rights, contractual or otherwise, whatsoever against MFA CONSULTING ENGINEERS LIMITED and MFA CONSULTING ENGINEERS LIMITED, accordingly, assume no duties, liabilities or obligations to that Third Party, and
- (c) MFA CONSULTING ENGINEERS LIMITED accepts no responsibility for any loss or damage incurred by the Client or for any conflict of MFA CONSULTING ENGINEERS LIMITED's interests arising out of the Client's release of this document to the Third Party.

Director: Mark Forbes

Associates: Brian Murphy, Darren Gilsenan and Shane Lavin

Company Reg No: IE726539

VAT Reg. No: 4044576QH

SANITARYWARE

By Armitage Shanks or Similar Approved

PROVIDE AND INSTALL THE FOLLOWING WC ACCESSORIES, 1 OF EACH PER :

- TOWEL RAIL - TOWEL RAIL 450mm
- MIRROR 1 NO. 600 X 450mm BEVELLED EDGE MIRROR OVER W.H.B., IN EACH BATHROOM WITH SCREWS AND CHROME CAPS.
- SOAP HOLDER - CERAMIC SOAP DISH WITH BRACKET AND HOLDER
- TOILET ROLL HOLDER – TO MATCH TOWEL RAIL

DOC M TOILET

- CLOSE COUPLED STANDARD HEIGHT WC PAN, 75CM PROJECTION WITH FLOOR FIXING KIT
- CLOSE COUPLED DELAY FILL, SYPHON CISTERN 4.5 LITRE SINGLE FLUSH FOR PROJECTION PAN
- BOTTOM SUPPLY AND INTERNAL OVERFLOW, SECURE COVER FASTENER, NO LEVER
- SEAT NO COVER, TOP FIXING HINGES AND RETAINING BUFFERS
- WASHBASIN 50CM, 1 TAPHOLE WITH OVERFLOW, NO CHAINSTAY HOLE, WASHBASIN WALL
- FIXINGS
- WASTE 1¼" BRASS ANTI THEFT SWIVEL PLUG WASTE, 80MM SLOTTED TAIL
- TOILET ROLL HOLDER FOR HINGED ARM RAIL
- GRAB RAIL STRAIGHT 45CM LONG X 35MM DIAMETER
- HINGED SUPPORT RAIL 80 X 35MM DIAMETER, DOC M COMPLIANT
- GRAB RAIL STRAIGHT 175CM LONG X 35MM DIAMETER
- GRAB RAIL STRAIGHT 60CM LONG X 35MM DIAMETER

KITCHEN- COMMUNITY ROOM

- S.S. INSET SINGLE BOWL SINK AND DRAINER TO BE PROVIDED COMPLETE WITH WASTE 38MM P.V.C., DEEP SEAL P. TRAP, AND WATER CONNECTIONS TO SAME. PROVIDE MONOBLOCK SINK MIXER UNIT - MIXER TO HAVE SEPARATE DISCHARGES WITHIN MIXER OUTLET TO M&E SPECIFICATION.

SANITARYWARE GENERALLY:

ALL SANITARYWARE IS TO BE CERTIFIED AS INDEPENDENTLY TESTED AND APPROVED BY THE EUROPEAN WATER LABEL SCHEME AND WATER REGULATIONS ADVISORY SCHEME

GENERALLY, THE SELECTION INSTALLATION AND SPECIAL REQUIREMENTS OF SANITARY APPLIANCES SHALL BE IN ACCORDANCE WITH:

- BS 3402:1969 - SPECIFICATION FOR QUALITY OF VITREOUS CHINA SANITARY APPLIANCES
- BS 1188:1974 - SPECIFICATION FOR CERAMIC WASH BASINS AND PEDESTALS
- WC PANS AND WC SUITES TO EN 997 & I.S. EN 33:2011 WC PANS AND WC SUITES
- CONNECTING DIMENSIONS
- BS 6465-3:2006 SANITARY INSTALLATIONS. CODE OF PRACTICE FOR THE SELECTION, INSTALLATION AND MAINTENANCE OF SANITARY AND ASSOCIATED APPLIANCES

TAPS AND MIXERS ARE TO BE:

ROBUST, HARD-WEARING AND MEET BOTH IRISH AND EUROPEAN STANDARDS
GUARANTEED WITH A FULL REPLACEMENT PART SERVICE SHOULD THE NEED ARISE.

SANITARY APPLIANCES SHALL BE:

PORCELAIN USING VITREOUS CHINA AND FINE FIRECLAY OF IRISH MANUFACTURE
UNLESS OTHERWISE APPROVED.

GUARANTEED AS FOLLOWS:

LIFETIME GUARANTEE	ON ALL CERAMIC PRODUCTS..
MIN 5 YEARS GUARANTEE	ON TAPS & MIXERS AND TOILET SEATS

MFA

CONSULTING ENGINEERS

CIVIL | STRUCTURAL | ROADS | PROJECT MANAGEMENT



Mayo | Sligo | info@mflagroup.ie | +353 (0)96 56095 | mflagroup.ie
Mayo Office: Block B, Innovation Quarter Ballina, Tone St, Ballina, Co. Mayo, F26 WY4X
Sligo Office: 2nd Floor, Source Building, Harmony Hill, Co. Sligo, F91 YXV7