B5 BEAM: PROVIDE 2 T25 BTM. BARS IN THIS SPAN

25mm EXPANSION JOINT

B.O.S. = +16.735

HOLLOWCORE SLAB DEPTH HERE REDUCED TO 150mm

PRECAST CONCRETE STAIR FLIGHTS 175mm Dp. IN-SITU HALF LANDINGS.

HALF LANDING UNDER

200 WIDE OPE

SB3 WELDED STUB OFF S5 TO SUPPORT BEAM

T.O.S. = +19.160

CONCRETE STAIRS

VOID

3 No. BEAMS B.O.S. = + 18.985 TOP MEMBER T.O.S. = +17.855 MIDDLE MEMBER B.O.S. = +16.735 BOTTOM MEMBER

152 UC POST

S12 HANGAR

B.O.S. = +16.735

B.O.S. = +19.160

200 W OPE

900 x 450 Dp. x 215 W PADSTONE P.S.2

FLOOR LEVEL BUILT UP IN ROOM 50mm STRUCTURAL SCREED WITH A142 MESH ON FLOOR GRADE INSULATION

+16.405 F.S.L.

1350 x 450 Dp. x 215 W PADSTONE P.S.3

TERRACE WALL 4th FLOOR 215 HOLLOWBLOCK INNER LEAF 100 QUINNLITE OUTER LEAF

PRECAST STAIRS & HALF LANDINGS. (LANDINGS BUILT INTO WALL)

LINTELS ADDED – SEE NOTE BELOW

215 WIDE x 450 20N BLOCK PIER

215 BLOCKWORK

450 END BEARING

700 TYP.

800 TYPICAL

450

1000 TYP.

1900 TYP.

+16.405 / +15.740 SECTION

40mm MAX. EDGE BEARING

T10 STARTER BARS FROM BEAM INTO SCREED @ 600mm Crs.

U/S OF ANGLE +15.730

1104 x 1026 OPE

726

1894

1104

PRECAST CONCRETE STAIR FLIGHTS 175mm Dp. IN-SITU HALF LANDINGS.

2390 x 600 OPE

1200 x 250 OPE

1480 x 2415 OPE

215 x 450 Dp. RC BEAM T.O.C. = 17.330

215 x 450 RC BEAM

BEAMS TO BE PROPPED DURING CONSTRUCTION

+17.330

+17.380

+17.130 ROOF

B.O.S. = +16.735

PRECAST CONCRETE STAIR FLIGHTS 175mm Dp. IN-SITU HALF LANDINGS.

200 W OPE

PRECAST CONCRETE STAIR FLIGHTS 175mm Dp. IN-SITU HALF LANDINGS.

FLANGE OF SB13 CUT BACK. REFER TO

HALF LANDING BELOW

25mm EXPANSION JOINT

HOLLOWCORE SLAB LEVEL FOR BALCONY DROPPED 135mm

NOTE:
VERTICAL TIES (V.T's) LINE UP FROM BELOW UNLESS NOTED OTHERWISE

FOURTH FLOOR

(SCALE 1:125)

LINTELS

EXTERNAL WALL:
OPES ≤ 3.0m
PRESTRESSED CONCRETE LINTEL ON INNER LEAF WITH 225mm END BEARINGS TEMPORARILY PROPPED AT 1.2m Crs.
2 COURSES OF SOLID BLOCK OVER FOR SPANS < 2.0m
3 COURSES OF SOLID BLOCK OVER FOR SPANS > 2.0m
STEELITE L25 OR L25/J ON OUTER LEAF WITH 150mm END BEARINGS

(L) INDICATES R.C. BEAM LINTEL OVERHEAD:

215 x 215 R.C. LINTEL ON INNER LEAF, 225mm END BEARING
STEELITE TYPE L38 LINTEL TO OUTER LEAF FIXED TO CONCRETE BEAM WITH M16 HILTI HVU's @ 600 Crs.

LINTEL REINFORCED WITH R6 LINKS @ 150 Crs. & 4 T12 LENGTH BARS

30mm COVER

INTERNAL NON-LOADBEARING WALLS:
OPES ≤ 3.0m
PRESSED CONCRETE LINTEL WITH 225mm END BEARINGS. TEMPORARILY PROPPED AT 1.2m Crs.

INTERNAL & EXTERNAL LOADBEARING WALLS:
OPES ≤ 1.0m
PRESSED CONCRETE LINTEL WITH 225mm END BEARINGS.
OPES ≥ 1.0m & ≤ 3.0m
152 UC 37 UNLESS NOTED OTHERWISE ON DRAWING.

STEEL = ℄ WALL

215mm HOLLOWBLOCK INNER LEAF WEBS ALIGNED

QUINNLITE OUTER LEAF

T10 400 LONG BARS @ 600 Crs. SITE WELDED TO WEB OF BEAM

SOFFIT OF BEAM FLUSH WITH SOFFIT OF UNIT

SECTION

6 No. M20/8.8 BOLTS

215mm HOLLOWBLOCK INNER LEAF WEBS ALIGNED

QUINNLITE OUTER LEAF

T10 400 LONG BARS @ 600 Crs. SITE WELDED TO WEB OF BEAM

SOFFIT OF BEAM FLUSH WITH SOFFIT OF UNIT

SECTION

700 ON BALCONIES

+16.405

SECTION

TYP. DETAIL OF BALCONY/TERRACE STEP

WELDED PLATE OVER TOP OF BEAM B5

TERRACE

+16.405

2 No. M16 ANCHORS

U/S OF ANGLE +15.730

12mm Tk. WELDED END PLATE

+15.740

SECTION

215 SOLID BLOCK PIER

SB29

305 UC TO HAVE FULL WIDTH BEARING AND TO BE ANCHORED TO THE TOP OF THE COLUMN

450 x 215 R.C. COLUMN

SECTION

+16.405

TERRACE LEVEL

SECTION

℄ WALL = ℄ BEAM

35 COVER

SECTION

WALL CONSTRUCTION:	
BLOCK A	
EXTERNAL WALL:	215mm HOLLOWBLOCK INNER 100mm OUTER
INTERNAL LOADBEARING:	215mm SOLID 20N GRND. – 2nd 10N 2nd – ROOF
BLOCKS B & C	
EXTERNAL COURTYARD WALLS:	215mm HOLLOWBLOCK INNER 100mm OUTER LEAF
INTERNAL DIVIDING WALLS:	215mm 5N QUINNLITE OR LIGHT WEIGHT ALTERNATIVE AS SPECIFIED BY ARCHITECT
BETWEEN BLOCKS A & B AND BLOCKS A & C 215mm SOLID BOTH SIDES	

NOTES

1. DO NOT SCALE DRAWING. USE FIGURED DIMENSIONS ONLY. ALL DIMENSIONS TO BE CHECKED ON SITE BY CONTRACTOR BEFORE WORK IS PUT IN HAND.
2. ALL TAKE-OFF TO BE CHECKED IMMEDIATELY BY ANY DISCREPANCIES REPORTED BEFORE WORK PROCEEDS.
3. FOR GENERAL NOTES REFER TO DRAWING No. 01316-00.
4. m.S.D. REFERS TO SITE DATUM.

1:125

ISSUE	DATE	DESCRIPTION	DRG. ORIG.	P.E. P.D.
1	15.07.03	BLOCKS B & C REVISED AS NOTED	L.B.	J.C. J.C.
0	27.06.03	[illegible]	L.B. J.C.	J.C. J.C.
PRT	22.05.03	PROGRESS ISSUE	N.L. J.C.	J.C. J.C.
T1	02.05.03	ISSUED FOR STEELWORK TENDER	N.L. P.D.	D.E. P.E.

DRAWING STATUS: CONSTRUCTION

CLIENT: McCABE BUILDERS

Barrett Mahony Consulting Engineers
Civil . Structural . Project Management
Sandwith House, 52-54 Lower Sandwith Street, Dublin 2, Ireland.
Tel: (01)6773200 Fax: (01)6773164 E-mail: bmce@bmce.ie Web: www.bmce.ie

ISSUE	DATE	DESCRIPTION	DRG. ORIG.	P.E. P.D.
8	05.03.04	REVISED AS NOTED	N.L.	J.C. J.C.
7	29.01.04	REVISED AS NOTED	N.L.	J.C. J.C.
6	20.11.03	REVISED AS NOTED	N.L.	J.C. J.C.
5	13.10.03	REVISED AS NOTED	N.L.	J.C. J.C.
4	04.09.03	REVISED AS NOTED + GENERAL UPDATE	L.B.	J.C. J.C.
3	14.08.03	BEAM SIZES REVISED AS NOTED FOLLOWING FROM FAX OF 01.08.03 + STAIR CORE REVISIONS	L.B.	V.B. J.C.
2	28.07.03	BLOCKS B & C REVISED AS NOTED + GENERAL UPDATE TO BLOCK A	L.B.	J.C. J.C.

PROJECT TITLE: LIBERTY CORNER DEVELOPMENT

DRAWING TITLE: G.A. PLAN FOURTH FLOOR

SCALE @ A1	DATE	DRAWING NO.	ISSUE
1:125	APR. '03	01316-05	8