

Pride 50-13

Working Together ● Winning Together

PRODUCT SPECIFICATION

Product name:	Pride 50-13
Model:	Pride-5004E140-PU
Color:	Emerald & Olive Bi-color
Application:	Sports
Roll width:	4.0m/2.0m/3.75m
Roll length:	On request
Warranty:	8 years under CCG warranty terms on fiber

CARPET CHARACTERISTICS

TURF

Pile height:	50mm±5%
Gauge:	5/8inch
Number of strands per tuft:	14 strands
Stitches per 10cm:	13±10%
Stitches per m ² :	8190±10%
Total yarn weight:	1270g/m ² ±10%

BACKING

Primary backing:	PP + PP
Weight:	200g/m ² ±10%
Secondary backing:	PU
Weight:	800g/m ² ±10%
Total carpet weight:	2270g/m ² ±10%

CARPET

Carpet tuft withdrawal:	≥ 40N
Water permeability of carpet:	>180mm/h

YARN CHARACTERISTICS

Composition:	Monofilament
Tape thickness:	370μm
Tape width:	1.0mm
Composition:	PE
Dtex:	14000
Pile yarns colour change:	4~5
Pile yarn change in tensile strength:	≤50%

Picture for reference:



INFILL REQUIREMENTS

Sand

Particle size range:	0.5-1.0mm
Bulk density:	1.46g/cm ³
Application rate:	30kg/m ²

SBR

Particle size range:	0.63-2.5mm
Bulk density:	0.48g/cm ³
Application rate:	7kg/m ²

Shock-pad

Shock-pad or elastic layer(if applicable)	YES
---	-----

infill:
SBR
sand




Shockpad

We reserve the right to modify these specifications. Version 1 – 1712

Office Add: Floor 18, Dadi Building No.56 Huaqiao Road, Nanjing 210029, China Tel:86-25-69811666 I Fax: 86-25-69811609
E-mail: info@ccgrass.com | Web: www.ccgrass.com

Panel sizes:

Product Reference	Height (mm)	Width (mm)	Post (mm)
2D-868-1.2	1230	2506	60 x 60 SHS
2D-868-1.8	1830	2506	60 x 60 SHS
2D-868-2	2030	2506	60 x 60 SHS
2D-868-2.4	2430	2506	60 x 60 SHS



Ball Stop Nets



Our ball stop nets are the perfect barrier solution for your sports pitch or court.

[Find out more info](#)

Unrivalled in strength and durability, our ball stop netting is made from the highest quality material. Produced from a special grade twine and fully UV stabilised, these perimeter nets are weather resistant and will not be affected by prolonged exposure to sunlight.

High Quality Ball-Stop Netting

[Buy Now Online](#)

All our ball stop nets have been classed with a high tenacity rating and have been designed to perform under extreme pressures and have a high breaking resistance.

Our range includes a wide variety of mesh and twine sizes and we can tailor make any size to suit requirements.

Ball stop nets can be supplied separately or in kit form, including all fixtures and fittings.



Twine Sizes Available

- 50mm square mesh x 2.5mm
- 100mm square mesh x 2.5mm
- 100mm square mesh x 3mm
- 150mm square mesh x 3mm

Netting Specification

- Dimensions available: Tailor made, standard sizes available to buy online
- Material: High tenacity polyethylene
- Colours available: Green or black
- Fully UV Stabilized for a minimum of 7 years
- Breaking force available: 135kg, 200kg
- Reinforced edging, 12mm rope
- Rings or clips available on edges
- Stationary or retractable ball stop nets available
- All wire rope and rigging needed for this product available on request

Netting Usage

- Hurling
- Gaelic football
- Soccer/Football
- Home use
- GAA Go Games
- Junior Gaelic Football
- Astro pitches
- Public parks