

Type A








60min Fire Door - Dr001 & Dr002

LACQUERED/PAINTED HARDWOOD FRAMES. DOOR TO HAVE AN ACOUSTIC PERFORMANCE RATING OF R_w 30dB IN ACCORDANCE WITH BB.93.

900

Door No.	Location	Type	Fire Rating	Frame Size	Clear Opn	Frame Material	Dr Finish	Others
Dr 001	Male Toilet	A	FD60s	950 x 2150	800	Lacquered/Painted Hardwood Frames	Formica finish with visible hardwood slips all-round the door leaf	Drop Down Seal
Dr 002	Unsex Toilet	A	FD60s	11500 x 2150	900	Lacquered/Painted Hardwood Frames	Formica finish with visible hardwood slips all-round the door leaf	Drop Down Seal

Ironmongery (Per Door Set)			
Catalogue No	Description	Units	Qty
KH-C5C/SSS	KCC Emergency Release. Typically used with floor springs and double action pivots.	NR	1
KD-GEZE/012846/SSS	Geze TS137B Floor-Mounted Pivot Bearing c/w Flat Taper	NR	1
KD-GEZE/06371/STE	Geze Double Action Floor Spring Adjustable Upper Pivot Type B (Compatible with KD-TS550NV)	NR	1
KD-GEZE/07432/STE	Geze Double Action Floor Spring Door Shoe Model C (Compatible with KD-TS550NV)	NR	1
KL-1904RAR/SSS	KCC Heavy Duty Modular Bathroom Lock c/w Anti-Rattle Adjustable Strike Plate to hEN12209 grade 3x510F-B G20 and Certifire CF5234	NR	1
KL-ZLAP22A/SSS	Double strike plate to suit roller DIN Locks	NR	1
KF-2001/SSS	KCC Tubular Stainless Steel 304 19mm Unsprung Rose Handle on Rose to BS EN1906:2012 Grade 47-B040U	Set	1
KF-2111/SSS	KCC Stainless Steel 304 Accessible Thumbturn & Release 6mm	NR	1
KA-9400/SSS	KCC Hat & Coat Hook	NR	1
KA-9402/SSS	KCC Coat Hook	NR	1
KA-9501/SSS	KCC Floor Mounted Door Stop	NR	1
KA-9710S/304/400X1000/SSS	KCC Stainless Steel 304 Squire Corner Kicking Plate. H400XW1000	NR	2
KA-9102/304/SSS	KCC Grade 304 Stainless Steel Accessible Symbol (Only for Accessible Toilet)	NR	1
KA-9102/304/SSS	KCC Grade 304 Stainless Steel Male Symbol	NR	1
KA-9200W/304/SSS	KCC Grade 304 Stainless Steel 'Fire Door Keep Shut' Sign - White Text	NR	2
KA-FS1824-2/BLK	Flexfire Fire Rated Graphite Based Intumescent Fluebolt Protector, 2mm, Black, Self Adhesive. Suits Radius & Square Forend	NR	2
KA-FS1900GR2/BLK	Flexfire Fire Rated Graphite Based Intumescent	NR	1




6) Projects
Scale: 1:50

7) Toilets (without Door) Elevation 1
Scale: 1:50

8) Profile Elevation 2
Scale: 1:50

9) Pollets Elevation 5
Scale: 1:50

10) Pollets Elevation 4
Scale: 1:50



11) Disabled
Scale: 1:50

12) Disabled
Scale: 1:50

13) Disabled
Scale: 1:50

14

Issue	Date	Revisions	Drawn	Checked	Approved


MRG
consulting engineers

No.4 Day Place , Tralee County Kerry
T : (066) 7123130 Fax : (066) 7123364 E-Mail : info@mr.ie
also : Elysium Business Centre, Breefield Court,
Watercourse Road, Blackpool, Cork

MRG Consulting Engineers Limited	Civil Structural Architectural Environmental
----------------------------------	--

Project			University Hospital Kerry Maintenance Toilet	
Drawing				
Proposed Toilet and Disabled Toilet				
Drawn	LF	Project No.	Drawing No.	
Date	31/08/2026			
Scale	1:500, 1:50 @ A1			
		126026	126026-111	