

Psychiatry Seclusion Room Upgrade HSE Roscommon

Project No: DU2609012

Quote No: 26/09/012

Ref No:

Prepared by :

Prepared for :

Rhatigan Architects
City Gate
Sligo


Drawings:

- 26010-DR-RHA-AR-40001
- 26010-DR-RHA-AR-11002


Printed 08/09/2026

SET KAL01	L&H AB ACCESS CONTROL - FR				
Catalogue No	Description	Fin.		Unit	Qty
KAL-PR-7414-BRDS-LL-WF/WHT	Primera Movastop Removable Anti-Barricade Doorstop. Operable by Staff Lifeline Key	WHT		Each	1
KAL-SYM60-150-S87/VAR	Safehinge Primera Anti-Barricade & Anti-Ligature Pivot System c/w L-Bracket & Concealed Transom Closer Size 1-4	VAR		NR	1
KAL-PR-7704IRW/WHT	Primera 2mm Intumescent Wrap for PR-6304/RBRKLL Rhino Slave Leaf Mortice Deadlock	WHT		NR	1
KA-9710R/304/150X900/SSS	KCC Stainless Steel 304 Radius Corner Kicking Plate. H150 x W1045	SSS		Each	2
KAL-ANTWDS70/SSS	KCC Wall Mounted Anti-Ligature Door Stop 70mm Diameter	SSS		NR	1
KA-9200W/304/SSS	KCC Grade 304 Stainless Steel 'Fire Door Keep Shut' Sign - White Text	SSS		NR	2
KA-INT/E351M80/WHT	Fire Rated Interdens Intumescent Lock Protector for E351M80, 1mm Body & 2mm Strikeplate, White	SSS		Each	1
KEL-352M80/SSS	Abloy eff/eff ePED® Fail Unlock Electric Lock for use with Escape Fire Doors, Complies with EN13637	SSS		NR	1


Door No	Description		Area	Floor	Section	Handing	Door Type
D01	CORRIDOR	30				L&H AB	A
						Qty	1



KAL-PR-7414-BRDS-LL-WF/WHT



KAL-SYM60-150-S87/VAR



KAL-PR-7704IRW/WHT



KA-9710R/304/150X430/SSS



KA-9710R/304/150X900/SSS



KAL-ANTWDS70/SSS



KA-9200W/304/SSS



KA-INT/E351M80/WHT



KEL-352M80/SSS

SET KAL02	SGL DEADLOCK SGL CYL RISER - FR				
Catalogue No	Description	Fin.	Unit	Qty	
KH-ECLIPSE3.0/MCP	3D Adjustable Concealed Hinge 60kg Rated. Fire rated with Intumescent KA-INT/HIN/ECLIPSE3/1	MCP	NR	3	
KL-71422R/55/SSS	KCC Mortice DIN Deadlock, 55mm Backset, Radius 24mm Forend (KL-4902XR)	SSS	Each	1	
KAL-PR-4-58E/SSS	Primera Anti-Ligature Escutcheon for Euro Profile Cylinder	SSS	NR	1	
KAL-PR-4-729A/SSS	Primera Anti-Ligature Pinch Grip Pull on Radius Plate	SSS	NR	1	
KC-9502/MK2K/SNP	Tigris ® Premium, Patented Single Cylinder 50 to BS EN1303:2015 grade ①⑥②B②C⑥C. Masterkeyed 2 Keys	SNP	NR	1	
KA-9710R/304/150X900/SSS	KCC Stainless Steel 304 Radius Corner Kicking Plate. H150 x W900	SSS	Each	1	
KA-9201W/304/SSS	KCC Grade 304 Stainless Steel 'Fire Door Keep Locked' Sign - White Text	SSS	NR	1	
KA-FS1900IN/2/WHT	Fire Rated Interdens Based Intumescent KCC Lock Protector, 2mm, White	WHT	NR	1	
KA-INT/ECL3/1/WHT	Fire Rated Graphite Based Intumescent for Eclipse 3.0 Hinge Protector, 1mm, White, Self Adhesive	WHT	NR	3	

Door No	Description	Unit	Area	Floor	Section	Handing	Door Type
D02	PRESS	30				SGL	B
		Qty					1



KH-ECLIPSE3.0/MCP



KL-71422R/55/SSS



KAL-PR-4-58E/SSS



KAL-PR-4-729A/SSS



KC-9502/MK2K/SNP



KA-9710R/304/150X900/SSS



KA-9201W/304/SSS



KA-FS1900IN/2/WHT



KA-INT/ECL3/1/WHT

SET KAL03		L&H AB BEDROOM LOCK - FR			
Catalogue No	Description	Fin.		Unit	Qty
KAL-PR-7414-BRDS-LL-WF/WHT	Primera Movastop Removable Anti-Barricade Doorstop. Operable by Staff Lifeline Key	WHT		Each	1
KAL-SYM60-150-S87/VAR	Safehinge Primera Anti-Barricade & Anti-Ligature Pivot System c/w L-Bracket & Concealed Transom Closer Size 1-4	VAR		NR	1
KAL-PR-3S-46-729A/SSS	Primera Anti-Ligature 5 Way SOS Bedroom Lockset	SSS		NR	1
KAL-PR-6304/RBRKLL/SSS	Primera Anti-Ligature Rhino Slave Leaf Mortice Deadlock	SSS		NR	1
KAL-PR-7701-ILW/YEL	Primera Fire Rated Intumescent Pack to Suit Anti-Ligature Locksets 2mm	SSS		NR	1
KC-9502/MK2K/SNP	Tigris ® Premium, Patented Single Cylinder 50 to BS EN1303:2015 grade ①⑥①B①C⑥C. Masterkeyed 2 Keys	SNP		NR	1
KA-9710R/304/150X900/SSS	KCC Stainless Steel 304 Radius Corner Kicking Plate. H150 x W1045	SSS		Each	2
KAL-ANTWDS70/SSS	KCC Wall Mounted Anti-Ligature Door Stop 70mm Diameter	SSS		NR	2
KA-9200W/304/SSS	KCC Grade 304 Stainless Steel 'Fire Door Keep Shut' Sign - White Text	SSS		NR	4

Door No	Description		Area	Floor	Section	Handing	Door Type
D03	BED	30				L&H AB	C
D04	BED	30				L&H AB	D
						Qty	2




KAL-PR-7414-BRDS-LL-WF/WHT



KAL-SYM60-150-S87/VAR



KAL-PR-3S-46-729A/SSS



KAL-PR-6304/RBRKLL/SSS



KAL-PR-7701-ILW/YEL



KAL-PR-7704IRW/WHT




KC-9502/MK2K/SNP



KA-9710R/304/150X430/SSS



KA-9710R/304/150X900/SSS




KAL-ANTWDS70/SSS



KA-9200W/304/SSS

SET KAL04		DBL CORRIDOR NO LOCK - FR			
Catalogue No	Description	Fin.		Unit	Qty
KAL-SYM60-150-S87/VAR	Safehinge Primera Anti-Barricade & Anti-Ligature Pivot System c/w L-Bracket & Concealed Transom Closer Size 1-4	VAR		NR	2
KAL-ZPSALP/SSS	KCC Anti-Ligature Pull Handle with Plate, Stainless Steel, Face Fixed H300 x W75 x P32	SSS		NR	2
KA-9700R/304/75X330/SSS	KCC Stainless Steel 304 Radius Corner Finger Plate. W75 x L330	SSS		NR	2
KA-9710R/304/150X900/SSS	KCC Stainless Steel 304 Radius Corner Kicking Plate. H150 x W950	SSS		Each	4
KAL-ANTWDS70/SSS	KCC Wall Mounted Anti-Ligature Door Stop 70mm Diameter	SSS		NR	2
KA-9200W/304/SSS	KCC Grade 304 Stainless Steel 'Fire Door Keep Shut' Sign - White Text	SSS		NR	4

Door No	Description		Area	Floor	Section	Handing	Door Type
D05	CORRIDOR	30				DBL AB	E
						Qty	1



KAL-SYM60-150-S87/VAR



KAL-ZPSALP/SSS



KA-9700R/304/75X330/SSS



KA-9710R/304/150X900/SSS




KAL-ANTWDS70/SSS



KA-9200W/304/SSS

SET KAL05	SGL SECLUSION TT LOCKSET - FR				
Catalogue No	Description	Fin.		Unit	Qty
KAL-SYM60-150-S87/VAR	Safehinge Primera Anti-Barricade & Anti-Ligature Pivot System c/w L-Bracket & Concealed Transom Closer Size 1-4	VAR		NR	1
KAL-PR-3S-66-729A/SSS	Primera Anti-Ligature 5 Way SOS Automatic Nightlatch Lockset	SSS		NR	1
KAL-PR-7701-ILW/YEL	Primera Fire Rated Intumescent Pack to Suit Anti-Ligature Locksets 2mm	SSS		NR	1
KAL-PR-NSP001466/SSS	Primera Anti-Ligature Bespoke Seclusion Door Thumbturn/Pull c/w mortice deadbolt	SSS		NR	2
KC-9502/MK2K/SNP	Tigris ® Premium, Patented Single Cylinder 50 to BS EN1303:2015 grade ①⑥①B①C⑥C. Masterkeyed 2 Keys	SNP		NR	1
KA-9710R/304/150X900/SSS	KCC Stainless Steel 304 Radius Corner Kicking Plate. H150 x W1050	SSS		Each	2
KAL-ANTWDS70/SSS	KCC Wall Mounted Anti-Ligature Door Stop 70mm Diameter	SSS		NR	1
KA-9200W/304/SSS	KCC Grade 304 Stainless Steel 'Fire Door Keep Shut' Sign - White Text	SSS		NR	2

Door No	Description		Area	Floor	Section	Handing	Door Type
D06	SECLUSION RM	30				SGL	F
						Qty	1




KAL-SYM60-150-S87/VAR



KAL-PR-3S-66-729A/SSS



KAL-PR-7701-ILW/YEL



KAL-PR-NSP001466/SSS



KC-9502/MK2K/SNP



KA-9710R/304/150X900/SSS



KAL-ANTWDS70/SSS



KA-9200W/304/SSS

SET KAL06		L&H AB NIGHTLATCH - FR			
Catalogue No	Description	Fin.		Unit	Qty
KAL-PR-7414-BRDS-LL-WF/WHT	Primera Movastop Removable Anti-Barricade Doorstop. Operable by Staff Lifeline Key	WHT		Each	1
KAL-SYM60-150-S87/VAR	Safehinge Primera Anti-Barricade & Anti-Ligature Pivot System c/w L-Bracket & Concealed Transom Closer Size 1-4	VAR		NR	1
KAL-PR-3S-66-729A/SSS	Primera Anti-Ligature 5 Way SOS Automatic Nightlatch Lockset	SSS		NR	1
KAL-PR-6304/RBRKLL/SSS	Primera Anti-Ligature Rhino Slave Leaf Mortice Deadlock	SSS		NR	1
KAL-PR-7701-ILW/YEL	Primera Fire Rated Intumescent Pack to Suit Anti-Ligature Locksets 2mm	SSS		NR	1
KAL-PR-7704IRW/WHT	Primera 2mm Intumescent Wrap for PR-6304/RBRKLL Rhino Slave Leaf Mortice Deadlock	WHT		NR	1
KC-9502/MK2K/SNP	Tigris ® Premium, Patented Single Cylinder 50 to BS EN1303:2015 grade ①⑥②B②C⑥C. Masterkeyed 2 Keys	SNP		NR	1
KA-9710R/304/150X900/SSS	KCC Stainless Steel 304 Radius Corner Kicking Plate. H150 x W1050	SSS		Each	2
KAL-ANTWDS70/SSS	KCC Wall Mounted Anti-Ligature Door Stop 70mm Diameter	SSS		NR	1
KA-9200W/304/SSS	KCC Grade 304 Stainless Steel 'Fire Door Keep Shut' Sign - White Text	SSS		NR	2

Door No	Description		Area	Floor	Section	Handing	Door Type
D07	NURSE STATION	30				L&H AB	G
D11	ANTI-ROOM DE ESCALATION	30				L&H AB	J
						Qty	2




KAL-PR-7414-BRDS-LL-WF/WHT



KAL-SYM60-150-S87/VAR




KAL-PR-3S-66-729A/SSS



KAL-PR-6304/RBRKLL/SSS



KAL-PR-7701-ILW/YEL



KAL-PR-7704IRW/WHT



KC-9502/MK2K/SNP



KA-9710R/304/150X430/SSS



KA-9710R/304/150X900/SSS




KAL-ANTWDS70/SSS




KA-9200W/304/SSS

SET KAL07		SGL AB NIGHTLATCH - FR			
Catalogue No	Description	Fin.		Unit	Qty
KAL-PR-7414-BRDS-LL-WF/WHT	Primera Movastop Removable Anti-Barricade Doorstop. Operable by Staff Lifeline Key	WHT		Each	1
KAL-SYM60-150-S87/VAR	Safehinge Primera Anti-Barricade & Anti-Ligature Pivot System c/w L-Bracket & Concealed Transom Closer Size 1-4	VAR		NR	1
KAL-PR-3S-66-729A/SSS	Primera Anti-Ligature 5 Way SOS Automatic Nightlatch Lockset	SSS		NR	1
KAL-PR-7701-ILW/YEL	Primera Fire Rated Intumescent Pack to Suit Anti-Ligature Locksets 2mm	SSS		NR	1
KC-9502/MK2K/SNP	Tigris ® Premium, Patented Single Cylinder 50 to BS EN1303:2015 grade ①⑥①B①C⑥C. Masterkeyed 2 Keys	SNP		NR	1
KA-9710R/304/150X900/SSS	KCC Stainless Steel 304 Radius Corner Kicking Plate. H150 x W900	SSS		Each	2
KAL-ANTWDS70/SSS	KCC Wall Mounted Anti-Ligature Door Stop 70mm Diameter	SSS		NR	1
KA-9200W/304/SSS	KCC Grade 304 Stainless Steel 'Fire Door Keep Shut' Sign - White Text	SSS		NR	2

Door No	Description		Area	Floor	Section	Handing	Door Type
D08	NURSE STATION	30				SGL AB	H
						Qty	1



KAL-PR-7414-BRDS-LL-WF/WHT



KAL-SYM60-150-S87/VAR



KAL-PR-3S-66-729A/SSS



KAL-PR-7701-ILW/YEL



KC-9502/MK2K/SNP



KA-9710R/304/150X900/SSS



KAL-ANTWDS70/SSS



KA-9200W/304/SSS

SET KAL08		SGL AB BATHROOM - FR			
Catalogue No	Description	Fin.		Unit	Qty
KAL-PR-7414-BRDS-LL-WF/WHT	Primera Movastop Removable Anti-Barricade Doorstop. Operable by Staff Lifeline Key	WHT		Each	1
KAL-SYM60-150-S87/VAR	Safehinge Primera Anti-Barricade & Anti-Ligature Pivot System c/w L-Bracket & Concealed Transom Closer Size 1-4	VAR		NR	1
KAL-PR-3S-56-729A/SSS	Primera Anti-Ligature 5 Way SOS Indicator Lockset	SSS		NR	1
KAL-PR-7701-ILW/YEL	Primera Fire Rated Intumescent Pack to Suit Anti-Ligature Locksets 2mm	SSS		NR	1
KC-9502/MK2K/SNP	Tigris ® Premium, Patented Single Cylinder 50 to BS EN1303:2015 grade ①⑥①B①C⑥C. Masterkeyed 2 Keys	SNP		NR	1
KA-9710R/304/150X900/SSS	KCC Stainless Steel 304 Radius Corner Kicking Plate. H150 x W900	SSS		Each	2
KAL-ANTWDS70/SSS	KCC Wall Mounted Anti-Ligature Door Stop 70mm Diameter	SSS		NR	1
KA-9200W/304/SSS	KCC Grade 304 Stainless Steel 'Fire Door Keep Shut' Sign - White Text	SSS		NR	2

Door No	Description		Area	Floor	Section	Handing	Door Type
D10	BATHROOM	30				SGL AB	I
						Qty	1



KAL-PR-7414-BRDS-LL-WF/WHT



KAL-SYM60-150-S87/VAR



KAL-PR-3S-56-729A/SSS



KAL-PR-7701-ILW/YEL



KC-9502/MK2K/SNP



KA-9710R/304/150X900/SSS



KAL-ANTWDS70/SSS




KA-9200W/304/SSS

SET KAL09	L&H AB COMMUNAL LOCK - FR				
Catalogue No	Description	Fin.		Unit	Qty
KAL-PR-7414-BRDS-LL-WF/WHT	Primera Movastop Removable Anti-Barricade Doorstop. Operable by Staff Lifeline Key	WHT		Each	1
KAL-SYM60-150-S87/VAR	Safehinge Primera Anti-Barricade & Anti-Ligature Pivot System c/w L-Bracket & Concealed Transom Closer Size 1-4	VAR		NR	1
KAL-PR-3S-96-729A/SSS	Primera Anti-Ligature 5 Way SOS Communal Lockset	SSS		NR	1
KAL-PR-6304/RBRKLL/SSS	Primera Anti-Ligature Rhino Slave Leaf Mortice Deadlock	SSS		NR	1
KAL-PR-7701-ILW/YEL	Primera Fire Rated Intumescent Pack to Suit Anti-Ligature Locksets 2mm	SSS		NR	1
KAL-PR-7704IRW/WHT	Primera 2mm Intumescent Wrap for PR-6304/RBRKLL Rhino Slave Leaf Mortice Deadlock	WHT		NR	1
KC-9582/MK2K/SNP	Tigris ® Premium, Patented Double Cylinder 4040 to BS EN1303:2015 grade ①⑥⑦B⑦C⑥B/C. Masterkeyed 2 Keys	SNP		NR	1
KA-9710R/304/150X900/SSS	KCC Stainless Steel 304 Radius Corner Kicking Plate. H150 x W1050	SSS		Each	2
KAL-ANTWDS70/SSS	KCC Wall Mounted Anti-Ligature Door Stop 70mm Diameter	SSS		NR	1
KA-9200W/304/SSS	KCC Grade 304 Stainless Steel 'Fire Door Keep Shut' Sign - White Text	SSS		NR	2

Door No	Description		Area	Floor	Section	Handing	Door Type
D09	SITTING ROOM	30				L&H AB	E
						Qty	1




KAL-PR-7414-BRDS-LL-WF/WHT



KAL-SYM60-150-S87/VAR



KAL-PR-3S-96-729A/SSS



KAL-PR-6304/RBRKLL/SSS



KAL-PR-7701-ILW/YEL



KAL-PR-7704IRW/WHT



KC-9582/MK2K/SNP



KA-9710R/304/150X430/SSS



KA-9710R/304/150X900/SSS



KAL-ANTWDS70/SSS



KA-9200W/304/SSS

Door & Set Summary

Project Name: Psychiatry Seclusion Room Upgrade HSE Roscommon
Project No: DU2609012 Quotation No: 26/09/012
Client Name: Rhatigan Architects

Door No	Door Description	Floor	Set
D01	CORRIDOR		SET KAL01
D02	PRESS		SET KAL02
D03	BED		SET KAL03
D04	BED		SET KAL03
D05	CORRIDOR		SET KAL04
D06	SECLUSION RM		SET KAL05
D07	NURSE STATION		SET KAL06
D08	NURSE STATION		SET KAL07
D09	SITTING ROOM		SET KAL09
D10	BATHROOM		SET KAL08
D11	ANTI-ROOM DE ESCALATION		SET KAL06
			11