Electrical Services Specification

Luminaire Schedule

Document Reference: B1289-21-0001 Luminaire Schedule

Luminaire Type:	**A**
	
For Installation In:	Entrance lobby
Description:	Surface mounted LED luminaire
Manufacturer and Model:	Glamox A15-S215 LED 1000 AC 830
Supplier:	Glamox

Luminaire Type:	**B**
	
For Installation In:	Ground Floor Public and Garda office
Description:	High performance IP40 surface mounted, LED luminaire. Dali
Manufacturer and Model:	Glamox C70-S275 LED 4300 DALI 830 MP or similar and approved
Supplier:	Glamox

Luminaire Type:	**E1**
	
For Installation In:	Throughout
Description:	Surface Mounted non-maintained LED emergency open plan luminaire.
Manufacturer and Model:	Ventilux Optic LED OPNM3/LED/OP/SM (must comply with OPW Spec).
Supplier:	Richmond Electrical Wholesale or Ventilux

Luminaire Type:	**E2**
	
For Installation In:	External
Description:	Surface Mounted Emergency Cast Aluminium Bulkhead, Black Eyelid, 28W 2D Lamp
Manufacturer and Model:	Ventilux Nova Circular, NCNM3/F282D (must comply with OPW Spec).
Supplier:	Richmond Electrical Wholesale or Ventilux

Luminaire Type:	**Exit Sign**
	
For Installation In:	Throughout
Description:	Surface Mounted Maintained Exit Sign
Manufacturer and Model:	Ventilux Exlux, EXM3/LED (must comply with OPW Spec).
Supplier:	Richmond Electrical Wholesale or Ventilux

Lighting control:	**P1**
	
For Installation In:	Throughout
Description:	HD Digital Sensor
Manufacturer and Model:	Honeywell
Supplier:	Honeywell