

SPECIFICTIONS FOR BELOW GROUND MASONRY:


1. ALL MASONRY BELOW DPC TO BE 10N GROUP I CATEGORY 2 EN 771-3 TESTED TO MINIMUM EN 772-1 7.3.2/7.3.4.
2. BLOCKWORK BELOW DPC TO BE LAND IN A M12 MORTAR (MORTAR DESIGNATION (i)) IN ACCORDANCE WITH THE IRISH NATIONAL ANNEX OF IS EN 1996.




SECTION 1-1




SECTION 2-2




SECTION 4-4



STAIR FOUNDATION DETAIL



TYPICAL DETAIL OF POP- UP THROUGH GROUND FLOOR SLAB



TYPICAL DETAIL OF PIPE PENETRATION

- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DESIGN TEAM DRAWINGS AND SPECIFICATIONS.
- FOR SETTING OUT REFER TO ARCHITECT'S DRAWINGS. DO NOT SCALE THIS DRAWING. USE FIGURED DIMENSIONS ONLY.
- NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF O'CONNOR SUTTON CRONIN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DOCUMENT WAS ORIGINALLY ISSUED.

Rev No.	Date	Revision Note	Drn by	Chkd by
P01	02/08/24	SUITABLE FOR REVIEW/COMMENT	BP/MMcF	IC
P02	15/08/24	SUITABLE FOR REVIEW/COMMENT	BP	AC
P03	15/01/25	REVISED AS CLOUDED	NP	IC
P04	03/11/26	PHASING INDICATED - SUITABLE FOR STAGE APPROVAL - TENDER	BP	IC

Comhairle Contae Thiobraid Árann
Tipperary County Council

BSI BIM Design and Construction VERIFIED

OCSC
O'CONNOR . SUTTON . CRONIN
MULTIDISCIPLINARY CONSULTING ENGINEERS
Civil/Structural/Environmental/Mechanical/Electrical/Sustainability
Dublin Office: 9 Prussia Street, Dublin 7. D07 KT57.
Tel: +353 (0)1 8682000 Web: www.ocsc.ie
Dublin London Belfast Galway Cork Birmingham

Client: TIPPERARY COUNTY COUNCIL
Project: TIPPERARY COURTHOUSE & BRIDEWELL

Title: FOUNDATION SECTIONS

Code	Originator	Zone	Level	Type	Role	Number	Status	Revision
O708	OCSC	00	FN	DR	S	2000	S4	P04

Date: JAN'24 Scale @ A1: As indicated Drn by: BP Chkd by: AC Aprvd by: IC