Door number as per drawing	Hinges - 3 number per door leaf, 127mm hinges to BS 1227 with 60min test EN1934. Type FSB Phoenix range.	Key cylinder - 1nr key cylinder per door set. Cylinder type FSB, type GDN EK3/70 35/35 NI RP Key & Thumbturn CYL EN1303 AP2000	Sash lock - 1nr per door set, type FSB 60mm backset rc euro cylinder with single throw, 20mm Bolt c/w strike and ducts pocket	Escutcheons - 2nr per door set, type FSB 1735/PZ SS Escutcheon	Lever handle - 1nr lever handle set per door set, type FSB 1146 ER	Door closer (Overhead) 1 number per door, Type Union CE3F fixed size 3 Rack and Pinion	Kick plate - 2nr number kick plate per door, type FSB 900MM x 150MM SS DSCK kickplate	Push button coded lock Brass finish with internal thumb lock, type KABA SIMPLEX 7104	Recessed lock with SS open/close rod Union 8400 satin finish	Pull handle - size 306mm overall X 60mm projection X 45mm rose diameter	Push plates: 2 Nr per door. 1.6mm thick X 305mm X 76mm. Type Union 5000	Signage to door - Both sides unless otherwise stated - Disc type DSCK to BS5499.
1	*	*	*	*	*	*	*		*		*	
2	*	*	*	*	*	*	*		*		*	Fire door keep shut
3	*	*	*	*	*	*	*		*		*	Fire door keep shut
4	*	*	*	*	*	*	*		*		*	Fire door keep shut
5	*	*	*	*	*	*	*		*		*	Kitchen
6	*	*	*	*	*	*	*		*		*	Kitchen
7	*	*	*	*	*	*	*		*		*	Kitchen
8	*	*	*	*	*	*	*		*		*	Fire door keep shut
9	*	*	*	*	*	*	*		*		*	Canteen (Hallway side only)
10	*	*	*	*	*	*	*		*		*	Fire door keep shut
11	*	*	*	*	*	*	*		*		*	Fire door keep shut
12	*	*	*	*	*	*			*			16 (Hallway side only)
13	*	*	*	*	*	*	*		*		*	Fire door keep shut
14	*	*	*	*	*	*	*		*		*	Fire door keep shut
15	*	*	*	*	*	*	*		*		*	Fire door keep shut
16	*	*	*	*	*	*	*		*		*	
17	*	*	*	*	*	*	*		*		*	Shower / Sauna (Hallway side only)
18	*	*	*	*	*	*	*		*		*	Laundry (Hallway side only)
19	*	*	*	*	*	*	*		*		*	Electrical switch room - Keep shut
20	*	*	*	*	*	*	*		*		*	Fire door keep shut
21	*	*	*	*	*	*	*		*		*	Fire door keep shut
22	*	*	*	*	*	*	*		*		*	Fire door keep shut
23	*	*	*	*	*	*	*		*		*	Fire door keep shut
24	*	*	*	*	*	*	*		*		*	Fire door keep shut
25	*	*	*	*	*	*	*		*		*	Fire door keep shut
26	*	*	*	*	*	*			*			17 (Hallway side only)
Note: New sign to be installed on inside face of entrance door to bar on ground floor - Max occupancy 50 persons												

Revisions

Date	Description	Drawn by:
September '26	Initial draft for review	ND

Project:	Proposed fire safety upgrades to Pearse Officer's Mess
Location:	Pearse Officers Mess - DFTC East
Drawing:	Ironmongery schedule
Drawing Number: DFTC - 28 - 26A - 1013	Scale: NTS
Surveyed By:	Drawn By: Niall Darby
Date: October '26	Checked By: Comdt Shane Phelan