

Supplement to the Official Journal of the European Union

Info and online forms: http://simap.ted.europa.eu

e

		Voluntary ex a	nte transparency notic	
This notice is related to	following:	_	-	
O Directive 2014/23/EU O Directive 2014/24/EU O Directive 2014/25/EU O Directive 2009/81/EU	J J			
	iding voluntary prior transparency as 0(4) of Directive 2009/81/EC.	referred to in Article 2d(4) of Dire	ectives 89/665/EEC and 92/13/EEC on	
	acting authority/entity			
I.1) Name and addre				
Official name: St James	s's Hospital		National registration number: ²	
Postal address: James	Street			
Town: Dublin	NUTS code: IE	Postal code: Dublin 11	Country: Ireland	
Contact person:			Telephone:	
E-mail: nlatham@stjan	nes.ie		Fax:	
Address of the buyer p	agency/office	notice published by a contracting a ling their O Regional or local age • Body governed by p	ency/office	
I.5) Main activity (in	the case of a notice published by a cont	racting authority)		
 General public services Defence Public order and safety Environment Economic and financial affairs Health 		O Social protection	Recreation, culture and religionEducation	
I.6) Main activity (in	the case of a notice published by a cont	racting entity)		
O Electricity O Extraction of gas ar	ort and distribution of gas and heat and oil craction of coal and other solid fuels	Railway servicesUrban railway, tramvPort-related activitieAirport-related activOther activity:		

Section II: Object

II.1) Scope of the procurement

II.1.1) Title: The provision of Equipment, Maintenance and Reagents required for the delivery of Blood Plasma Viscosity Testing Services at St James's Hospital Dublin	Reference number: ²
II.1.2) Main CPV code: 33696500 Supplementary VOC code: 1,2	
II.1.3) Type of contract O Works Supplies O Services	
II.1.4) Short description: the provision of Equipment, Maintenance and Reagents requir Testing Services at St James's Hospital Dublin	ed for the delivery of Blood Plasma Viscosity
II.1.6) Information about lots	
This contract is divided into lots O yes O no	
II.1.7) Total value of the procurement (excluding VAT)	
Value: [60000.00] (Please give the total value of the procurement. For information about ind	ividual contracts, please use section V)
or Lowest offer: [] / Highest offer: [] taken into consideration	
Currency: EUR	
(for framework agreements – total maximum value for their entire duration)	and the second sections.
(for contracts based on framework agreements, if required – value of contract(s) not included in	i previous contract awara notices)
II.2) Description 1 (1)	
II.2.1) Title: ²	Lot No: ²
II.2.2) Additional CPV code(s): ²	
II.2.3) Place of performance	
NUTS code: 1 [IE] Main site or place	of performance: St James's Hospital Dublin
	Deagants required for the delivery of Pland
II.2.4) Description of the procurement: the provision of Equipment, Maintenance and I Plasma Viscosity Testing Services at St James's Hospital Dublin . Plasma viscosity (PV) testir increases in plasma viscosity, which are due to changes in the relative proportions of variation fibrinogen and immunoglobulins. It has many parallels with the erythrocyte sedimentation protein fractions cause the rate of erythrocytes sedimentation to increase. Like the ESR, For condition but instead has a screening and monitoring value. It is of use to measure plamyeloma (MM) and related monoclonal gammopathies. (nature and quantity of works, supplies or services)	g in a medical setting is useful to detect ous plasma protein fractions, such as albumin, n rate (ESR), in which similar changes in plasma V testing is not specific for any particular disease
Plasma Viscosity Testing Services at St James's Hospital Dublin . Plasma viscosity (PV) testir increases in plasma viscosity, which are due to changes in the relative proportions of variation fibrinogen and immunoglobulins. It has many parallels with the erythrocyte sedimentation protein fractions cause the rate of erythrocytes sedimentation to increase. Like the ESR, For condition but instead has a screening and monitoring value. It is of use to measure plamyeloma (MM) and related monoclonal gammopathies.	g in a medical setting is useful to detect ous plasma protein fractions, such as albumin, n rate (ESR), in which similar changes in plasma V testing is not specific for any particular disease
Plasma Viscosity Testing Services at St James's Hospital Dublin . Plasma viscosity (PV) testir increases in plasma viscosity, which are due to changes in the relative proportions of variation fibrinogen and immunoglobulins. It has many parallels with the erythrocyte sedimentation protein fractions cause the rate of erythrocytes sedimentation to increase. Like the ESR, For condition but instead has a screening and monitoring value. It is of use to measure plamyeloma (MM) and related monoclonal gammopathies. (nature and quantity of works, supplies or services)	g in a medical setting is useful to detect ous plasma protein fractions, such as albumin, n rate (ESR), in which similar changes in plasma V testing is not specific for any particular disease
Plasma Viscosity Testing Services at St James's Hospital Dublin . Plasma viscosity (PV) testir increases in plasma viscosity, which are due to changes in the relative proportions of variation fibrinogen and immunoglobulins. It has many parallels with the erythrocyte sedimentation protein fractions cause the rate of erythrocytes sedimentation to increase. Like the ESR, For condition but instead has a screening and monitoring value. It is of use to measure plamyeloma (MM) and related monoclonal gammopathies. (nature and quantity of works, supplies or services) II.2.11) Information about options	g in a medical setting is useful to detect ous plasma protein fractions, such as albumin, n rate (ESR), in which similar changes in plasma V testing is not specific for any particular disease
Plasma Viscosity Testing Services at St James's Hospital Dublin . Plasma viscosity (PV) testir increases in plasma viscosity, which are due to changes in the relative proportions of variation fibrinogen and immunoglobulins. It has many parallels with the erythrocyte sedimentation protein fractions cause the rate of erythrocytes sedimentation to increase. Like the ESR, For condition but instead has a screening and monitoring value. It is of use to measure plamyeloma (MM) and related monoclonal gammopathies. (nature and quantity of works, supplies or services) II.2.11) Information about options Options Oyes no	g in a medical setting is useful to detect ous plasma protein fractions, such as albumin, n rate (ESR), in which similar changes in plasma V testing is not specific for any particular disease
Plasma Viscosity Testing Services at St James's Hospital Dublin .Plasma viscosity (PV) testir increases in plasma viscosity, which are due to changes in the relative proportions of variefibrinogen and immunoglobulins. It has many parallels with the erythrocyte sedimentation protein fractions cause the rate of erythrocytes sedimentation to increase. Like the ESR, For condition but instead has a screening and monitoring value. It is of use to measure plamyeloma (MM) and related monoclonal gammopathies. (nature and quantity of works, supplies or services) II.2.11) Information about options Options O yes O no Description of options:	in a medical setting is useful to detect ous plasma protein fractions, such as albumin, in rate (ESR), in which similar changes in plasma V testing is not specific for any particular disease sma viscosity in patients known to have multiple

Section IV: Procedure

IV.1) Description

IV.1.1) Type of procedure (please complete Annex D)
Negotiated procedure without prior publication (in accordance with Article 32 of Directive 2014/24/EU)
O Negotiated procedure without prior call for competition (in accordance with Article 50 of Directive 2014/25/EU)
O Negotiated procedure without publication of a contract notice (in accordance with Article 28 of Directive 2009/81/EC)
O Award of a concession without prior publication of a concession notice (in accordance with Article 31(4) and (5) of Directive 2014/23/EU)
O Award of a contract without prior publication of a call for competition in the Official Journal of the European Union in the cases listed below (please complete point 2 of the Annex D)
IV.1.3) Information on framework agreement
☐ The procurement involves the establishment of a framework agreement
IV.1.8) Information about the Government Procurement Agreement (GPA)
The procurement is covered by the Government Procurement Agreement $$

IV.2) Administrative information

IV.2.1) Previous publication concerning this procedure ²
Notice number in the OJ S:

Section V: Award of contract/concession 1

Contract No: Lot No: ² Title: the provision of Equipment, Maintenance and Reagents required for the delivery of Blood Plasma Viscosity Testing Services at St James's Hospital Dublin

V.2) Award of contract/concession

V.2.1) Date of conclusion of th	e contract: (dd/mm/yyyy)	23/05/2023	
V.2.2) Information about tend	ers		
The contract has been awarded	to a group of economic or	perators: O yes 💿 no	
V.2.3) Name and address of th	ne contractor/concession	aire 1 (Agree to publish? C	yes O no)
Official name: Benson Viscomet	ters		National registration number: ²
Postal address: Unit H North Es	state, Withybush Road, Hav	erfordwest, Pembrokeshire	SA62 4BS Wales United Kingdom
Town: Haverfordwest,	NUTS code: UKL	Postal code:	Country: United Kingdom
E-mail: lchun@bensonviscomet	ers.com		Telephone:
Internet address: (URL) https://	/www.bensonviscometers.c	com	Fax:
The contractor/concessionaire v	will be an SME: yes (O no (SME – as defined in Co	ommission Recommendation 2003/361/EC)
V.2.4) Information on value of	the contract/lot/concess	sion (excluding VAT)	
Initial estimated total value of th	ne contract/lot/concession:	² [60000.00]	
Total value of the contract/lot/co	oncession: [60000.00]		
Lowest offer: [] / Highest offer: Currency: EUR	[] taken into consideration	n	
for framework agreements – tot			
for contracts based on framewo notices	ork agreements, if required	– value of contract(s) for thi	s lot not included in previous contract award
V.2.5) Information about subc	contracting ⁸		
☐ The contract/lot/concession	is likely to be subcontracte	ed	
Value or proportion likely to be :	•	ties ⁴	
Value excluding VAT: [] Currency:			
Proportion: [] %		(
Short description of the part of	the contract to be subcont	racted:	

Section VI: Complementary information

VI.3) Additional information ²				

VI.4) Procedures for review

Postal code: D8	Country: Ireland
	Telephone:
	Fax:
Postal code:	Country:
	Telephone:
	Fax:
ocedure may be obtained ²	
Postal code:	Country:
	Telephone:
	Fax:
	Postal code: ocedure may be obtained ²

VI.5) Date of dispatch of this notice: (dd/mm/yyyy) 23/05/2023

It is the contracting authority's/contracting entity's responsibility to ensure compliance with European Union law and any applicable laws.

¹ please repeat as many times as needed

² if applicable

⁴ if this information is known

⁸ optional information

²⁰ importance may be given instead of weighting

importance may be given instead of weighting; if price is the only award criterion, weighting is not used

Annex D1 – General procurement

Justification for the award of the contract without prior publication of a call for competition in the Official Journal of the European Union

Directive 2014/24/EU

(please select the relevant option and provide an explanation)

	1. Justification for the choice of the negotiated procedure without prior publication of a call for competition in accordance with Article 32 of Directive 2014/24/EU
	☐ No tenders or no suitable tenders/requests to participate in response to
	O open procedure
	O restricted procedure
	☐ The products involved are manufactured purely for the purpose of research, experiment, study or development under the conditions stated in the directive (for supplies only)
	☐ The works, supplies or services can be provided only by a particular economic operator for the following reason
	absence of competition for technical reasons
	O procurement aiming at the creation or acquisition of a unique work of art or artistic performance O protection of exclusive rights, including intellectual property rights
	Extreme urgency brought about by events unforeseeable for the contracting authority and in accordance with the strict conditions stated in the directive
	☐ Additional deliveries by the original supplier ordered under the strict conditions stated in the directive
	☐ New works/services, constituting a repetition of existing works/services and ordered in accordance with the strict conditions stated in the directive
	☐ Service contract to be awarded to the winner or one of winners under the rules of a design contest
	☐ Procurement of supplies quoted and purchased on a commodity market
	☐ Purchase of supplies or services on particularly advantageous terms
	O from a supplier which is definitively winding up its business activities
	O from the liquidator in an insolvency procedure, an arrangement with creditors or a similar procedure under national laws and regulations
	2. Other justification for the award of the contract without prior publication of a call for competition in the Official Journal of the European Union
	☐ The procurement falls outside the scope of application of the directive
3. E	xplanation

Please explain in a clear and comprehensive manner why the award of the contract without prior publication in the Official Journal of the European Union is lawful, by stating the relevant facts and, as appropriate, the conclusions of law in accordance with the directive: (500 words maximum)

There is only one economic operator in the market. Benson Viscometers is the only economic operator identified as capable of meeting SJH's requirement. Detailed description of Blood Plasma Viscosity Testing Services is as follows:

- The analyser must be designed and calibrated to measure human blood plasma viscosity in a clinical setting
 The analyser must have a track record in External Quality Assessment (EQA) schemes such as UK NEQAS for Haematology
- The supplier must provide calibration and quality control materials for use with the analyser to test human blood plasma samples
- The supplier must have the capability to provide both preventative maintenance and unscheduled call-out maintenance support to St lames's hospital with any analyser supplied.